



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo		
Company name *	Brother International Europe			
Contact information *	tephen Kimber			
e-mail address	steve.kimber@brother.co.uk			
Internet site *	www.brother.com			
Additional information				

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.					
Type of product *	ALL IN ONE Electro-photographic Printer				
Commercial name *	DCP-L8410CDW				
Model number *	DCP-L8410CDW				
Issue date *	17/March/2017				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		17/March/2017				
Product	Product environmental attributes - Legal requirements			Require	ment	met
Item				Yes	No	n.a.
P1	Hazardous substances and preparations					
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			,1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference).),5 μg/cm²/	/week		
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):			
	www.br	other.eu/reach	contact).			
P2	Batterie					
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet)	nium. (See	legal		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at (add link or e-mail address): upport.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35	gal referen	ice).		
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document, available at (add URL):				
		pport.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35				
P4		nable materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).				
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				
P4.3*	are Com applicab (see lega	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled accorded le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to			
P5	Product	packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Monti Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			ontreal 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * DCP-L8410CDW

Model number *	DCP-L8410CDW		
Issue date *	17/March/2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
-	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
D7.4*	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	<u> _</u>			
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ	<u> </u>			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes				
P7.8*	Upgrading can be done using commonly available tools		\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
== 10	Material type: PS-HI Material type: ABS Material type: PC						
P7.12	Insulation materials of external electrical cables are PVC free.	<u>Ц</u>	\boxtimes	<u> </u>			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		X				
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			_			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
D= 00t	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 1.23 %. or b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	Model number * DCP-L8410CDW			Logo					
Issue date	*	17/March	ch/2017						
Product	Product environmental attributes - Market requirements (continued)				Requ	irement	met		
Item					·		Ye	es No	n.a.
Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
P7.21*	Biobase	d plastic ma	aterial content is used	in the product (See	NOTE B7):		L		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								
P7.22*	Light sou	urces are fr	ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lar	mp. kimum mercury content per lar	mp: ı	mg		
P8	Batteries	<u> </u>	'		<u> </u>		<u> </u>		
P8.1*	Battery o	hemical co	mposition:						\boxtimes
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the p	product the	following power levels	or energy consum	ptions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC		eference/St odes and te	andard for est method *	energy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W				
Standby/of ENERGY S Mode (OM	f mode for STAR Ope	erational	W	W	W				
TEC value TEC produ	for ENER		kWh/week	kWh/week	1.8 kWh/week				
(TEC= Typ	ical Energ	ЭУ							
Printing			W	W	Approx. 580 W				
Copying			W	W	Approx.550 W				
Quiet Mo	de/Copyi	ing	W	W	Approx. 350 W				
Quiet Mo	de/Printii	ng	W	W	Approx. 340 W				
Ready			W	W	Approx. 70 W				
Sleep			W	W	Approx. 10 W				$\overline{\Box}$
Deep Sle	ер		W	W	Approx. 1.3 W				$\overline{\Box}$
Power O			W	W	Approx. 0.03 W				Ħ
Network	ed Standl	bv	W	W	Approx. 1.4 W				H
			L cv Level (International	Efficiency Marking					
	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Print/Scan Speed * : 31 images per second								
Default tim	Default time to enter energy save mode: 1 minutes								
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode		ode description		Statistical upper limit A-weigh $L_{WA,c}$ (B)	nted sound	power level,		
	Idle	*			*				
	Operatio		Copying (mono)		* 6.40				
	Other mode Copying(color) 6.41 Measured according to: ISO 7779 ECMA-74								
	1			UZ171 (only if no	t covered by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product environmental attributes - Market requirements (continued) Requirement met	Model nur	number * DCP-L8410CDW		Logo							
Chemical emissions from printing products (See NOTE B10) P10.2*	Issue date	*	17/March/2017								
Chemical emissions from printing products (See NOTE B10) P10.2*											
Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/EC 28360) other specify: RAL-UZ171 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14.	Product	environ	mental attributes - Marl	ket requirements (co	ntinued)			Requ	uirem	ent	met
P10.2*	Item							Y	es	No	n.a.
Equipment (ISO/IEC 28360)											
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC	P10.2*					Rates from E	lectronic		\leq	Ш	Ш
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Ink	D40.2				<u>′1</u>						$\overline{}$
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14.	P10.3	Typical emission rate (operation phase) is (mg/n).									
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of N1281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 4.22 Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): vei			.		,						
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		Ink devices: Dust Styrene Benzene TVOC									
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Product packaging material type(s): CRGTD-FBRBRD weight (kg): 4.22 englet (kg): 0.59 englet (kg):		Note: c	empliance with maximum er	mission rates in eco labe	ls to be declared in	n P14.					
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 4.22 Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): PS-E weight (kg): Product packaging material type(s): PS-E weight (kg): Product packaging material type(s): PS-E weight (kg): Product packaging is free from PVC. P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper District (kg): Paper District (kg)	P11										
EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): Weight (kg): 0.59 Product packaging material type(s): Weight (kg): Wei	P11.1*	A Safet	/ Data Sheet (SDS) is availa	able for the ink/toner pre	paration, even if n	ot legally requ	ired (see P	4.3).	X		
P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 4.22 Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): product packaging material type(s): weight (kg): 0.59 Product packaging material type(s): product packaging packaging product packaging packaging product packaging p	P11.2*	EN 122	31.	•		at it meets th	ne requirem	ents of			
P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 4.22 weight (kg): 0.59 Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): PS-E Weight (kg): 0.59 Product packaging packaging weight (kg): 0.59 Product packaging pa	P11.3*	2-sided	(duplex) printing/copying is	an integrated product fu	nction.				$\overline{\mathbf{X}}$		
P13.1* Product packaging material type(s): CRGTD-FBRBRD Product packaging material type(s): PS-E weight (kg): 0.59 Product packaging material type(s): weight (kg): 0.59 Product packaging material type(s): weight (kg): 0.59 Product packaging material type(s): weight (kg): 0.59 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P11.4*	The pro	duct is delivered to end-use	er with default auto-duple	x enabled.					\boxtimes	
Product packaging material type(s): PS-E Product packaging material type(s): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic Apper Apper Apper Deletion on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Elemental chlorine-free Processed chlorine-free Elemental chlorine-free Elemental chlorine-free Elemental chlorine-free Criteria version: 2.0 ENERGY STAR® Criteria version: 2.0 Eco-label: (Blue Angel) Criteria version: Date: Product category: Imaging Equipment Printing Function Froduct category: Office Equipment with Printing Function Product category: Office Equipment Product category: Product category: Office Equipment Printing Function Product category: Office Equipment Printing Function Product category: Office Equipment With Printing Function Product category: Office Equipment With Printing Function	P13										
Product packaging material type(s): P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Elemental chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Printing Function Eco-label: (Blue Angel) Criteria version: Date: Product category: Office Equipment with Printing Function Product category: Office Equipment Printing Function	P13.1*										
P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:											
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box):	P13.2*										
consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: 2.0 ENERGY STAR® Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Imaging Equipment Printing Function Product category: Office Equipment with Printing Function Product category: Product category: Office Equipment Printing Function Product category: Office Equipment Printing Function											
Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Elemental chlorine-free Drocessed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:					oony and contains	a porcomago		poot			
Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Elemental chlorine-free Drocessed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P13.4*	Specify	media for user and product	documentation (tick box	.):						
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:					-7-						ш
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14.1 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P13.5			aper documentation use	d)						
Totally chlorine-free Elemental chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:				n paper media is chlorine	e-free:					\boxtimes	
Elemental chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:		If Yes, p	lease specify:								
Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Eco-label: Criteria version: Date: Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:		Totally	chlorine-free								
P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Eco-label: Criteria version: Date: Product category: Office Equipment with Printing Function Eco-label: Product category: Product category: Office Equipment with Printing Function		Elemental chlorine-free									
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Eco-label: Criteria version: Date: Product category: Imaging Equipment Product category: Office Equipment with Printing Function Product category: Office Equipment with Printing Function		Process	ed chlorine-free								
ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category: Product category: Office Equipment Printing Function											
Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P14.1	The pro	duct meets the requirement	ts of the following volunta	ary program(s):						
Printing Function Eco-label: Criteria version: Date: Product category:						16 Product of	category:	maging Eq	ıipme	ent	
Eco-label: Criteria version: Date: Product category:		Eco-lab	el: (<i>Blue Angel</i>) Crite	ria version: RAL-UZ171	Date: 9/12/2010	6 Prod	luct categor				
P15 Additional information (See NOTE B11)					Date:	Product of	category:		ung i	unce	1011
	P15	Additional information (See NOTE B11)									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1