



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	of product * Electro-photographic Printer						
Commercial name *	HL-L8260CDW						
Model number *	HL-L8260CDW						
Issue date *	20/February/2017						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		20/February/2017					
Product environ		mental attributes - Legal requirements	Require	Requirement met			
Item						n.a.	
P1	Hazardo						
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		Ш		
P1.2*	Comment: Legal reference has no maximum concentration value.						
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated				
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above Cal reference).),5 μg/cm²/w	eek			
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	aantaat\.		$\overline{}$		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie						
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	egal			
P2.3*	Batteries			\boxtimes			
P3		nity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements): upport.brother.com/g/b/productsearch.aspx?c=gb⟨=en	gal reference	e). 🔀			
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).					
	Required information is;						
_		pport.brother.com/g/b/productsearch.aspx?c=gb⟨=en					
P4		pable materials	0.040/./		_		
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).			<u>Ц</u>		
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).					
P5.3*			treal 🔀				
P6	Treatment information						
P6.1*	5.1* Information for recyclers/treatment facilities is available (see legal reference).						

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * HL-L8260CDW

Model number *	HL-L8260CDW	Logo	
Issue date *	20/February/2017		

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7.4*	Disassembly, recycling Parts that have to be treated accounted an accidence as a silve accounted.		_	
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes	Ш	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type: ABS			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
	Marking: <i>FR</i> (40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4: <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
F1.10	concentrations above 0,1%:	· 🖂		
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "	_	_	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\boxtimes		
P7.19	FR(17), FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
F7.19	assigned the following Risk phrases; and Hazard statements:		Ш	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\square		
	If YES; at least one of the two alternatives below shall be answered;	<u>~ \</u>		
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
	percentage of total plastic by weight) is 1.22 %.			
	Or The weight of recycled meterial is			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	Model number * HL-L8260CDW				Logo				
Issue date	ssue date * 20/February/2017								
Product e	environn	nental att	ributes - Market re	quirements (con	itinued)		Requ	uirement	t met
Item							Y	es No	n.a.
P7.21*			ance requirements (c		NOTE D7\-		Г		
F1.21	21* Biobased plastic material content is used in the product (See NOTE B7):								Ш
					swerea; c material content (calcula	ted as a perce	entage of		
		l plastic by							
	or b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*	,	•	ee from mercury, i.e. le	-	nn				
1 7.22			pecify: Number of lam		imum mercury content per	lamp: ı	mg L	<u> </u>	Ш
P8	Batteries	S							
P8.1*		hemical co	·						\boxtimes
P9			on (See NOTE B8)						
P9.1		product the	following power levels	or energy consump	otions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and to		energy	
Sleep mod	e for ENE	RGY	W	W	W				
STAR® Op	erational	Mode							
(OM) produ Standby/of		<u> </u>	W	W	W				
ENERGY S	STAR Ope	erational							
Mode (OM) TEC value			kWh/week	kWh/week	1.8 kWh/week				
TEC value		GISTAR	KVVII/Week	KVVII/Week	1.8 kWh/week				Ш
(TEC= Typ		11.7							
Printing	icai Ericig	3 <i>y</i>	W	W	Approx. 580 W				
Quiet Mo	de/Printir	ng	W	W	Approx. 340 W				$\overline{}$
Ready			W	W	Approx. 70 W				+
Sleep			W	W	Approx. 10.0 W				$\overline{}$
Deep Sle	ер		W	W	Approx. 1.2 W				$\overline{}$
Power Of	•		W	W	Approx. 0.03W				∺
Networke)/	W	W	Approx. 1.2 W				- -
			cy Level (International						
					Protocoi) .				
Print/Scan	Speed *	:	31 images per seco	ind					
			ve mode: 1 minu						
P9.2*	9.2* Information about the energy save function is provided with the product.								
P10	Emissio	-		100 0000 (0 NO	TE D0)				
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) 1.1 Mode Mode description Statistical upper limit A-weighted sound power level,								
i io.i iviode ivio		iodo dosonption		$L_{WA,c}$ (B)	iginica souila	powor level,			
	Idle	*			*				
	Operatio	n *	Printing(mono)		* 6.55				\vdash
	Other mo		Printing(color)		6.56				
		d according		ECMA-74					
	Other RAL-UZ171 (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product environmental attributes - Market requirements (continued) Requirement met	Model nur	odel number * HL-L8260CDW		Logo									
Chemical emissions from printing products (See NOTE B10) P10.2*	Issue date	ate * 20/February/2017											
Chemical emissions from printing products (See NOTE B10) P10.2*													
Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/EC 28360) other specify: RAL-UZ171 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14.	Product	environ	mental attributes	- Market req	uirements (c	ontinued	l)			Re	quire	ment	met
P10.2*	Item										Yes	No	n.a.
Equipment (ISO/IEC 28360)													
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC	P10.2*						Emission Ra	tes from E	lectronic		\boxtimes		
Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Ink						71							
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14.	P10.3	Typical	emission rate (opera	tion phase) is	(mg/h):								
Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of N1281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.45 Product packaging material type(s): PS-E Weight (kg): 0.19 Product packaging material type(s): LDPE Weight (kg): 0.10 Product packaging material type(s): LDPE P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic N. Paper N. Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Elemental chlorine-free P14 Voluntary programs: ENERGY STAR® Criteria version: 2.0 Date: 21/1/22016 Product category: Imaging Equipment With Printing Function ENERGY STAR® Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function		Electro	hotographic devices	: Ozone	Dust	Styrene	Ben	zene	TVOC				
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of		Ink dev	ces:		Dust	Styrene	Ber	zene	TVOC				Ħ
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of		Note: c	ompliance with maxin	num emission	rates in eco labe	els to be d	eclared in P	14					
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.45 product packaging material type(s): P5-E weight (kg): 0.39 product packaging material type(s): LDPE weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic A Paper Other Othe	P11		•			510 to 50 a	ociaroa iiri						
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.45 Product packaging material type(s): PS-E weight (kg): 0.39 Product packaging material type(s): LDPE weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic N. Paper N. Other Neer Commentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: Criteria version: Date: Product category: Imaging Equipment Printing Function Eco-label: Criteria version: Date: Product category:						eparation,	even if not le	egally requ	uired (see F	24.3).	\square	П	
P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13 Packaging and documentation P13.1* Product packaging material type(s): PS-E weight (kg): 2.45 Product packaging material type(s): PS-E weight (kg): 0.39 Product packaging material type(s): LDPE weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Processed chlorine-free Criteria version: 2.0 Date: 21/12/2016 Eco-label: Criteria version: Pate: Product category: Office Equipment with Printing Function Printing Function Product category: Office Equipment with Printing Function	P11.2*	Paper o	containing post-cons			-							
P13.1* Product packaging material type(s): CRGTD-FBRBRD weight (kg): 2.45 Product packaging material type(s): LDPE weight (kg): 0.39 Product packaging material type(s): LDPE weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other ☐ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Eco-label: Criteria version: Date: Product category: Imaging Equipment with Printing Function Product category: Office Equipment with Printing Function	P11.3*			ying is an integ	grated product for	unction.					\boxtimes		
P13.1* Product packaging material type(s): CRGTD-FBRBRD Product packaging material type(s): PS-E weight (kg): 0.39 weight (kg): 0.10 P13.2* Product packaging material type(s): LDPE weight (kg): 0.10 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Other Pound product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Elemental chlorine-free Elemental chlorine-free ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: Criteria version: Date: Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category: Office Equipment with Printing Function	P11.4*	The pro	duct is delivered to e	nd-user with d	efault auto-duple	ex enable	d.						
Product packaging material type(s): PS-E Product packaging material type(s): LDPE Weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Elemental chlorine-free Elemental chlorine-free Elemental chlorine-free Processed chlorine-free Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: Date: Product category: Imaging Equipment With Printing Function Eco-label: Criteria version: Date: Product category: Office Equipment With Printing Function	P13												
Product packaging material type(s): LDPE weight (kg): 0.10 P13.2* Product plastic primary packaging is free from PVC.	P13.1*												
P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:													
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box):	D13 2*					weight (kg)): 0.10						
consumer recovered fiber content: 50 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: 2.0 ENERGY STAR® Criteria version: RAL-UZ171 Eco-label: (Blue Angel) Criteria version: Date: Product category: Office Equipment with Printing Function Product category: Office Equipment with Printing Function Product category: Product category: Office Equipment Printing Function Product category: Office Equipment Printing Function													
P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	F13.3												
Electronic , Paper , Other . P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Processed chlorine-free Elemental chlorine-free Drocessed chlorine-free Elemental chlorine-free Drocessed chlorine-free Elemental chlorine-free Drocessed chlorine-free													
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P13.4*				entation (tick bo	x):							
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14.1 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:													
If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P13.5												
Totally chlorine-free Elemental chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:				ation on paper	media is chlorin	e-free:					Ш	\boxtimes	
Elemental chlorine-free Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:													
Processed chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:		•									Ц		
P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Imaging Equipment Printing Function Eco-label: Criteria version: Date: Product category:											Ш		
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Eco-label: Criteria version: Date: Product category: Office Equipment with Printing Function													
ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category: Product category: Office Equipment Printing Function							()						
Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 16/11/2016 Product category: Office Equipment with Printing Function Eco-label: Criteria version: Date: Product category:	P14.1		•		•		` '						
Printing Function Eco-label: Criteria version: Date: Product category:								Product	category:	Imaging L	Equipn	nent	
Eco-label: Criteria version: Date: Product category:		Eco-lab	el: (Blue Angel)	Criteria versi	on: <i>RAL-U21/1</i>	Date:	16/11/2016	Prod	duct catego				
P15 Additional information (See NOTE B11)					on:	Date:		Product	category:				
	P15	Additional information (See NOTE B11)											

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1