



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Electro-photographic Printer				
Commercial name *	HL-L9310CDW				
Model number *	HL-L9310CDW				
Issue date *	20/February/2017				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		20/February/2017				
Product environmental attributes - Legal requirements				Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo					
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)			
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.		,1-		
P1.4*						
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference).),5 μg/cm²/	/week		
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):			
	www.br	other.eu/reach	contact).			
P2	Batterie					
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)			<u> </u>	
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet)	nium. (See	legal		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): laration of Conformity can be requested at (add link or e-mail address): <pre>upport.brother.com/g/b/productsearch.aspx?c=gb⟨=en</pre>	gal referen	ice).		
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL):					
		pport.brother.com/g/b/productsearch.aspx?c=gb⟨=en				
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).				
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg				
P4.3*	are Com applicab (see leg	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled accorded le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s)		
P5.3*	Protocol Comme	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * HL-L9310CDW

Model number *	HL-L9310CDW	Logo	
Issue date *	20/February/2017		

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
-	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
D7.4*	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable		Щ.	<u> </u>				
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes					
P7.8*	Upgrading can be done using commonly available tools		\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years							
P7.10	Service is available after end of production for: 7years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: PS-HI Material type: PC Material type: ABS							
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes					
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		X					
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_		_				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(17), FR(40)							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:							
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 1.22 %. or b) The weight of recycled material is g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	Model number * HL-L9310CDW				Logo				
Issue date	sue date * 20/February/2017								
Product 6	Product environmental attributes - Market requirements (continued)							uiremen	
Item			Y	'es No	n.a.				
D7 21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
17.21									
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	tota	l plastic by		·	,	•	J		
	or b) The weight of the biobased plastic material is g.								
P7.22*	,	•	ee from mercury, i.e. le	-	np.				
			pecify: Number of lam		imum mercury content per	lamp: ı	mg L		ш
P8	Batteries								
P8.1*		hemical co	·						\boxtimes
P9			on (See NOTE B8)						
P9.1		roduct the	following power levels						
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	′ 🔲
Sleep mod	e for ENE	RGY	W	W	W				
STAR® Op		Mode							
(OM) produ Standby/of		•	W	W	W				
ENERGY S	STAR Ope	erational							
Mode (OM)			kWh/week	kWh/week	1.8 kWh/week				_
TEC value		OTSTAIN	KVVII/WEEK	KVVII/WEEK	1.0 KVVI/WEEK				Ш
(TFC= Typ	ical Enero	IV							
(TEC= Typical Energy Printing			W	W	Approx. 580 W				
Quiet Mo	de/Printir	ng	W	W	Approx. 340 W				〒
Ready			W	W	Approx. 70 W				$\overline{}$
Sleep			W	W	Approx. 10.0 W				
Deep Sle	ер		W	W	Approx. 1.5 W				Ħ
Power O	- ff		W	W	Approx. 0.03 W				Ħ
Networke	ed Standb	DV	W	W	Approx. 1.4 W				∺
			cy Level (International		= =				
Print/Scan			31 images per seco		. 1010001)				
	·		ve mode: 1 minu						
P9.2*	•								
P10	Emissions								
	Noise er		Declared according to						
P10.1 Mode Mode description Statistical up $L_{WA,c}$ (B)		Statistical upper limit A-we $L_{WA,c}$ (B)	ighted sound	power level,					
	Idle	*			*				
	Operatio	n *	Printing(mono)		* 6.55				
	Other mode Printing(color) 6.56								
	Measure	d according	g to: SO 7779	ECMA-74					
			Other RAL-	UZ171 (only if not	covered by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	number * HL-L9310CDW		Logo									
Issue date) *	20/February/2017										
Product	environ	mental attributes	- Market req	uirements (c	ontinued	i)			Re	quire	ment	met
Item										Yes	No	n.a.
		cal emissions from p										
P10.2*		rformed according to				Emission Ra	tes from E	lectronic		\boxtimes		
D40.0		ent (ISO/IEC 28360)			71							_
P10.3	i ypicai	emission rate (opera	tion phase) is	(mg/n):								
		photographic devices	: Ozone	Dust	Styrene	Ber	zene	TVOC				
	Ink dev	ices:		Dust	Styrene	Ber	nzene	TVOC				
	Note: c	ompliance with maxin	num emission	rates in eco lab	els to be d	leclared in P	14.					
P11		mable materials for										
P11.1*		y Data Sheet (SDS) i								\boxtimes		
P11.2*	EN 122		•			ovided that i	t meets th	ne requiren	nents of			
P11.3*	2-sided	(duplex) printing/cop	ying is an inte	grated product f	unction.					\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with d	efault auto-dupl	ex enable	d.					\boxtimes	
P13		ing and documenta										
P13.1*		packaging material t			eight (kg)							
		packaging material t			veight (kg)							
P13.2*	Product packaging material type(s): LDPE weight (kg): 0.10 Product plastic primary packaging is free from PVC.											
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-											
		er recovered fiber co		%	·	·	J		·			
P13.4*		media for user and p		entation (tick bo	x):							
		nic 🔀, Paper 🔀, Ot										
P13.5		only complete this it										
		nd product documenta blease specify:	ation on paper	media is chlorir	ne-free:					Ш	\boxtimes	
	•	chlorine-free tal chlorine-free								H		
		sed chlorine-free								H		
P14		ary programs:								<u> Ц</u>		
P14.1		duct meets the requi	rements of the	following volun	tary progra	am(s).						
	•	SY STAR®	Criteria versi	•		21/12/2016	Product	category:	lmaging l	Equipp	nont	
		el: <i>(Blue Angel)</i>		on: <i>RAL-UZ171</i>		16/11/2016	Producti	duct category.	rv: Office	e Eauil	oment	with
		3.7						3.			Func	
D45	Eco-lab		Criteria versi	on:	Date:		Product	category:				
P15	Additio	nal information (Se	e NOTE B11)									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1