



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	ALL IN ONE Electro-photographic Printer					
Commercial name *	MFC-L8690CDW					
Model number *	MFC-L8690CDW					
Issue date *	17/March/2017					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		17/March/2017					
Product environ		mental attributes - Legal requirements	Require	Requirement me			
Item				Yes	No	n.a.	
P1	Hazardo	N-4					
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		Ш		
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.					
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference).	),5 μg/cm²/w	eek			
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	aantaat\.	<u> </u>	$\overline{}$		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie						
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	egal			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at (add link or e-mail address):    Import.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35	gal reference	e). 🔀			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required information is; given in item P15 or added to this document,  available at (add URL):						
		pport.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35					
P4		able materials					
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).					
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference	).			
P4.3*	are Com applicab	Itoner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to				
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.			<u>Ц</u>		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the materi	al(s)			
P5.3*							
P6		nt information					
P6.1*	1* Information for recyclers/treatment facilities is available (see legal reference).						

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* MFC-L8690CDW

Model number *	MFC-L8690CDW	Logo	
Issue date *	17/March/2017		

	environmental attributes - Market requirements (See General NOTE GN below)			1 1
		equire		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	_	∺	
			Н.	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D-7	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PS-HI Material type: ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		$\boxtimes$	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is  1.23 %.  or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * MFC-L8690CDW		Logo							
Issue date	*	17/March	h/2017						
Product	environn	nental att	ributes - Market re	quirements (co	ntinued)		Regu	irement	mot
Item	Product environmental attributes - Market requirements (continued)						Ye		n.a.
	Material	and subst	ance requirements (	continued)			•		
P7.21*			aterial content is used		NOTE B7):				
			of the two alternatives						
				the biobased plast	tic material content (calculated	d as a perce	entage of		
	or	l plastic by	weight) is %.						
		weight of t	the biobased plastic m	aterial is g.					
P7.22*									
P8	Batteries								
P8.1*	•	hemical co	•						$\boxtimes$
P9		-	on (See NOTE B8)		offere are reported.				
P9.1		product the	following power levels		· · · · · · · · · · · · · · · · · · ·				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		eference/St odes and te	andard for est method *	energy	
Sleep mod STAR® Or			W	W	W				
(OM) produ		Wode							
Standby/of			W	W	W				$\boxtimes$
ENERGY S Mode (OM									
TEC value			kWh/week	kWh/week	1.9 kWh/week				
TEC produ	ıcts								
(TEC= Typ	ical Energ	ЭУ							
Printing		W	W	Approx. 580 W					
Copying			W	W	Approx.550 W				
Quiet Mo	de/Copyi	ing	W	W	Approx. 350 W				
Quiet Mo	de/Printii	ng	W	W	Approx. 340 W				
Ready			W	W	Approx. 70 W				
Sleep			W	W	Approx. 10 W				
Deep Sle	ep		W	W	Approx. 1.4 W				
Power O	ff		W	W	Approx. 0.03 W				
Network	ed Standl	by	W	W	Approx. 1.4 W				
External Po	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking	Protocol) *:				$\boxtimes$
Print/Scan	Speed *	:	31 images per seco	nd					
Default tim	e to enter	energy sav	ve mode: 1 minu	tes					
P9.2*	9.2* Information about the energy save function is provided with the product.								
P10	Emissio								
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)  P10.1 Mode Mode description Statistical upper limit A-weighted sound power level,								
P10.1 Mode M		ode description		Statistical upper limit A-weign $L_{WA,c}$ (B)	neu sound	powei ievei,			
	Idle	*			*				
	Operatio		Copying (mono)		* 6.40				
	Other mo		Copying(color)		6.41				
	Measure	ed according		ECMA-74					
	<u> </u>			UZ171 (only if not	t covered by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model num	number * MFC-L8690CDW			Logo								
Issue date	*	17/March/2017										
Product e	nviron	mental attributes	- Market red	quirements (	continued)				Re	equire	ment	met
Item										Yes	No	n.a.
		al emissions from										
		rformed according to				mission Rate	es from E	lectronic		$\boxtimes$		
		ent (ISO/IEC 28360)			171							_
P10.3	Typical emission rate (operation phase) is (mg/h):									Ш		
		hotographic devices	: Ozone	Dust	Styrene	Benz	zene	TVOC				
	Ink devices: Dust Styrene Benzene TVOC											
	Note: co	ompliance with maxir	num emission	rates in eco la	bels to be de	clared in P1	4.					
P11		nable materials for										
		y Data Sheet (SDS) i						-		$\boxtimes$		
	EN 122		•			rided that it	meets th	ne requiren	nents of			
P11.3*	2-sided	(duplex) printing/cop	ying is an inte	grated product	function.					$\boxtimes$		
P11.4*	The pro	duct is delivered to e	nd-user with o	default auto-dup	olex enabled						X	
P13		ing and documenta										
		packaging material			weight (kg):							
		packaging material			weight (kg): weight (kg):	0.59						
	Product packaging material type(s): weight (kg):  Product plastic primary packaging is free from PVC.											
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-											
		er recovered fiber co		%	.,	,						
P13.4*	Specify	media for user and r	roduct docum	entation (tick b	ox):							
	Specify media for user and product documentation (tick box):											
P13.5	(Please	only complete this it	em if paper do	cumentation us	sed)							
		d product documents	ation on paper	media is chlori	ine-free:						$\boxtimes$	
	If Yes, p	lease specify:										
	Totally of	chlorine-free										
	Elemental chlorine-free											
	Process	sed chlorine-free										
		ary programs:										
P14.1	The pro	duct meets the requi	rements of the	e following volui	ntary prograi	n(s):						
	_	Y STAR®	Criteria vers			1/12/2016	Product	category:	Imaging I	Equipn	nent	
	Eco-lab	el: (Blue Angel)	Criteria vers	ion: <i>RAL-UZ17</i>	1 Date: 9	/12/2016	Proc	duct catego		e Equip Printing		
	Eco-lab	el:	Criteria vers	ion:	Date:		Product	category:	•	, iii ai ig	1 4110	
P15	Additio	nal information (Se	e NOTE B11)									

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1