

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product *
 ALL IN ONE Electro-photographic Printer

 Commercial name *
 MFC-L8900CDW

 Model number *
 MFC-L8900CDW

 Issue date *
 17/March/2017

 Intended market *
 Global Sector Asia, Pacific & Japan Americas Other

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	MFC-L8900CDW	Logo					
Issue date *		17/March/2017						
Product	Product environmental attributes - Legal requirements R							
Item				Ye	s N	lo	n.a.	
P1		bus substances and preparations s do comply with the current European RoHS Directive. (See legal reference and N						
P1.1*								
P1.2*	Products	\boxtimes	IL					
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\mathbf{X}	1 6	-		
1 1.0	hydrobro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrack ethane, methyl bromide (see legal reference). Comment: Legal reference has no n		,1-	1 L			
		ation values.						
P1.4*	terpheny	e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).						
P1.5*	chain co	e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).		2				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/	week			\square	
P1.7*	Commer REACH		1 [
D 2	Batterie							
P2.1*		s oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the dispos	al		_		
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	the dispos		IL			
P2.2*	Batteries	legal			\boxtimes			
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)						\square	
P3		nity verification & Eco design (ErP)		L				
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address):	gal referen	ce). 🔀	1 [
P3.2*		<pre>upport.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35 duct complies with the Eco design requirements for energy-related products,</pre>				_		
FJ.2		al reference).		\geq	IL			
	Required information is; given in item P15 or added to this document,							
	Available at (add URL): http://support.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35							
P4		hable materials						
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and NOTE B1).	ax 0,01% (see 🔀				
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see le	gal referen	ce). 🔀		7		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to							
	(see lega	le regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	nts is availa	able				
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.		<u>k</u>				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).						
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the Mo	ontreal 🔀				
-		nt: Legal reference has no maximum concentration values.						
P6		nt information				_	_	
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\geq	LL			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	MFC-L8900CDW	Logo					
Issue da	te *	17/March/2017						
	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require	ement	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design	where recording						
P7.1*		nbly, recycling t have to be treated separately are easily separable						
P7.2*		aterials in covers/housing have no surface coating.			╞	-#-		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	-#-		
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools		╞			
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>			
17.0	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives			\square			
P7.8*		g can be done using commonly available tools				- H-		
P7.9.		rts are available after end of production for: 7 years				H		
P7.10		s available after end of production for: 7years						
		and substance requirements						
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum):						
P7.12		ype: PS-HI Material type: ABS Material type: ABS Material type:	ype: PC					
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.14	Insulation materials of internal electrical cables are PVC free.							
P7.15	Printed of	g more than 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are Io	w				
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\boxtimes				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) \square , TBBPA (reactive) \square (See NOTE B3), Other; chemical name:	ponents): CAS #:	\boxtimes				
		emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4:	s) > 25 g					
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/p ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparations	in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4	1:	\boxtimes				
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which has the following Risk phrases; and Hazard statements:						
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See NO umer recycled plastic material content is used in the product (See NOTE B6):	DTE B5)					
1 1.20	lf YES; a a) Of te	t least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (c centage of total plastic by weight) is 1.42 %.	calculated as	a				
		weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	MFC-L890	OCDW			Logo			
Issue date * 17/March			2017						
Product	environn	nental attr	ibutes - Market red	quirements (conti	nued)		Requi	rement	met
ltem							Ye	s No	n.a.
			ance requirements (c						
P7.21* Biobased plastic ma					*		L		
	a) Of t				erea; material content (calcul	ated as a percer	ntage of		
	b) The	e weight of th	ne biobased plastic ma	aterial is g.					
P7.22*	If mercu	ry is used sp	e from mercury, i.e. le becify: Number of lamp		um mercury content pe	r lamp: m	ig		
P8.1*	Batterie	-							
-	•	hemical cor	•						
P9 P9.1		-	on (See NOTE B8) ollowing power levels	or energy consumption	ons are reported.				
Energy mo			Power level at	Power level at	Power level at	Reference/Sta	indard for	energy	
0,			100 V AC	115 V AC	230 V AC	modes and tes		energy	
Sleep mod STAR® O (OM) prod	perational		W	W	W				
Standby/or ENERGY Mode (OM	ff mode for STAR Ope	erational	W	W	W				
TEC value	for ENER		kWh/week	kWh/week	1.9 kWh/week				
(TEC= Typ	bical Energ	ду							
Printing			W	W	Approx. 580 W				
Copying	1		W	W	Approx.550 W				
Quiet Mo	ode/Copyi	ing	W	W	Approx. 350 W				
Quiet Mo	ode/Printi	ng	W	W	Approx. 340 W				
Ready			W	W	Approx. 70 W				
Sleep			W	W	Approx. 10 W				
Deep Sle	ер		W	W	Approx. 1.7 W				
Power O	ff		W	W	Approx. 0.03 W				
Network	ed Standl	by	W	W	Approx. 1.6 W				
External P	ower Supp	oly Efficienc	y Level (International E	Efficiency Marking Pr	otocol) * :				
Print/Scan	Speed *	:	31 images per seco	nd					
		energy save							
P9.2*	Informati	ion about the	e energy save functior	n is provided with the	product.		\square		
P10	Emissio								
D10.1			eclared according to I			alabta d a sure d	owerlaust		
P10.1	Mode	Mo	ode description		atistical upper limit A-w _{WA,c} (B)	eigntea sound p	ower ievel,		
	Idle	*		*					
	Operatio		Copying (mono)	*	6.40 6.41				
	Other mo		Copying(color)						
Measured accordin				ECMA-74 JZ171 (only if not co	overed by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue date	e* 17/Mar	ch/2017										
		01/2017										
	environmental	attributes - I	Market requirem	ents (con	tinued)				R	equire	ment	me
	onvironnentai		landt requirem		linacay					Yes	No	n.a
	Chemical emis	sions from pri	nting products (Se	ee NOTF B	(10)							
P10.2*	Test performed	according to E	CMA-328 Determin , other specify:	ation of Che		ion Rates	s from El	ectronic				
P10.3			n phase) is (mg/h):									
		· ·	. , ,	_		_						
	Electrophotogra	phic devices: C			tyrene	Benze		TVOC				
	Ink devices:		Dust	S	styrene	Benze	ene	TVOC				
	Note: compliance	e with maximu	m emission rates in	eco labels	to be declare	ed in P14						
P11			inting products									
P11.1*	A Safety Data S	heet (SDS) is a	available for the ink	toner prepa	aration, even	if not leg	ally requ	ired (see F	°4.3).	\boxtimes		
P11.2*	Paper containin EN 12281.	ig post-consum	ner recycled fibers	can be us	ed, provided	d that it i	meets th	e requirer	nents of	\square		
P11.3*	2-sided (duplex)	printing/copyir	ng is an integrated	product fund	ction.					\boxtimes		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.											
P13	Packaging and documentation											
P13.1*	Product package	ing material typ	()	weig	ght (kg): 4.59 ght (kg): 0.72 ght (kg):							
P13.2*	Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC. Image: Comparison of the plane is free from PVC.											
P13.3*		• • •	d fiberboard packa		ify the conta	ained per	centage	of minimu	ım post-			H
	consumer recov	ered fiber conte	ent: 50 %			·	0		·			
P13.4*	Specify media for Electronic X, F		duct documentatior	n (tick box):								
P13.5		ct documentatio	n if paper document on on paper media									
	Totally chlorine-	free										
	Elemental chlori									H		
	Processed chlor									H		
P14	Voluntary prog											
P14.1			nents of the followi	ng voluntary	v program(s):	:						
	ENERGY STAR Eco-label: (Blue	® C	Criteria version: 2. Criteria version: RA	0	Date: 21/12 Date: 9/12/2	/ 2016 F		category: uct catego	ry: Offic	e Equi	omen	
	Eco-label:	C	Criteria version:		Date:	ſ	Product	ategory:	P	rinting	runc	uon
P15	Additional info				Duto.	1	100001	alogory.				
10												

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1