



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Brother	Logo
Company name *	Brother International Europe	
Contact information *	Stephen Kimber	
e-mail address	steve.kimber@brother.co.uk	
Internet site *	www.brother.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	of product * ALL IN ONE Electro-photographic Printer						
Commercial name *	MFC-L9570CDW						
Model number *	MFC-L9570CDW						
Issue date *	17/March/2017						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date *		17/March/2017					
Product environ		mental attributes - Legal requirements	Require	Requirement n			
Item				Yes	No	n.a.	
P1		us substances and preparations	OTE 5.13	N-4			
P1.1*		do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)		Ш		
P1.2*	Comment: Legal reference has no maximum concentration value.						
P1.3*	P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference).	),5 μg/cm²/w	eek			
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	aantaat\.	<u> </u>	$\overline{}$		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail other.eu/reach	contact):				
P2	Batterie						
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at (add link or e-mail address):    Import.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35	gal reference	e). 🔀			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required information is; given in item P15 or added to this document,  available at (add URL):						
		pport.brother.com/g/b/productseries.aspx?c=gb⟨=en&pcatid=35					
P4		able materials					
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).					
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal reference	). 🔀			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.			<u>Ц</u>		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the materi	al(s)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	* Information for recyclers/treatment facilities is available (see legal reference).						

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* MFC-L9570CDW

Model number *	MFC-L9570CDW	Logo	
Issue date *	17/March/2017		

	environmental attributes - Market requirements (See General NOTE GN below)						
	Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
D7.4*	Disassembly, recycling  Parts that have to be treated accounted an accidence accidence and the constant of the		_				
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>				
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: <b>PS-HI</b> Material type: <b>ABS</b> Material type: <b>PC</b>						
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$				
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low						
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	ш					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{}$				
1 7.10	Marking: <i>FR</i> (40)		Ш				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	$\boxtimes$					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
	according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		Ш				
	2. Chemical name: , CAS #: "GEC NOTE B4)						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	$\boxtimes$					
	FR(40)						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been						
	assigned the following Risk phrases; and Hazard statements:						
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)  Postconsumer recycled plastic material content is used in the product (See NOTE B6):						
P7.20*	• • •	$\boxtimes$	Ш				
	If YES; at least one of the two alternatives below shall be answered;						
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 1.42 %.</li> </ul>						
	or						
	b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * MFC-L95		70CDW			Logo				
Issue date	*	17/March	/2017						
Product e	environm	nental att	ributes - Market re	quirements (co	ntinued)		Requ	iiremen	t met
Item							Y	es No	n.a.
D7.04*			ance requirements (c		NOTE DZ				
P7.21*		•	aterial content is used i	, ,	,		L		Ш
	a) Of to total or b) The	otal plastic plastic by weight of t	weight) is %. the biobased plastic m	the biobased plast aterial is g.	tic material content (calculated	as a perce	_		
P7.22*	If mercury	y is used s	ee from mercury, i.e. le pecify: Number of lam		mp. ximum mercury content per lan	np: ı	mg		
P8	Batteries		1,1						
P8.1*	•	nemical co							
P9			on (See NOTE B8)		or Consequence and a de-				
P9.1		roduct the	following power levels		·				
Energy mod			Power level at 100 V AC	Power level at 115 V AC	<b>230</b> V AC mo	eference/St odes and te	tandard for est method *	energy	
Sleep mode STAR® Op (OM) produ	erational I		W	W	W				
Standby/off ENERGY S Mode (OM)	f mode for STAR Ope		W	W	W				
TEC value TEC produc	for ENER	GY STAR	kWh/week	kWh/week	1.9 kWh/week				
(TEC= Typi	ical Energ	у							
Printing			W	W	Approx. 580 W				
Copying			W	W	Approx.550 W				
Quiet Mo	de/Copyir	ng	W	W	Approx. 350 W				
Quiet Mo	de/Printin	ıg	W	W	Approx. 340 W				
Ready			W	W	Approx. 70 W				$\overline{\Box}$
Sleep			W	W	Approx. 10 W				一一
Deep Slee	ер		W	W	Approx. 1.7 W				一一
Power Of	_		W	W	Approx. 0.03W				H
Networke	ed Standb	V	W	W	Approx. 1.6 W				$\overline{H}$
		•	Level (International						
Print/Scan		:	31 images per seco	, ,					
Default time	e to enter	energy sav	ve mode: 1 minu	tes					
P9.2*							$\overline{\Box}$		
P10	Emission	ns							<u> </u>
	Noise en	nission – [	Declared according to	ISO 9296 (See NC					
P10.1 Mode Mode description			Statistical upper limit A-weigh $L_{WA,c}$ (B)	ted sound	power level,				
	Idle	*			*				
	Operation		Copying (mono)		* 6.40				
	Other mo		Copying(color)		6.41				
	Measured according to: SO 7779 SCMA-74  Other RAL-UZ171 (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur				Logo								
Issue date	) *	17/March/2017										
Product	environ	mental attributes	- Market req	uirements (c	ontinued)				Re	quire	ment	met
Item										Yes	No	n.a.
		cal emissions from p										
P10.2*		rformed according to				nission Rate	es from El	ectronic		$\boxtimes$		
D40.0		ent (ISO/IEC 28360)			171							_
P10.3	Typical emission rate (operation phase) is (mg/h):											
	Electrophotographic devices: Ozone Dust Styrene Benzene TVOC											
	Ink dev	ices:		Dust	Styrene	Benz	ene	TVOC				
	Note: c	ompliance with maxin	num emission	rates in eco lab	els to be ded	clared in P1	4.					
P11		mable materials for										
P11.1*		y Data Sheet (SDS) i			-					$\boxtimes$		
P11.2*	EN 122		•		•	ided that it	meets th	e requiren	nents of			
P11.3*	2-sided	(duplex) printing/cop	ying is an inte	grated product	function.					$\boxtimes$		
P11.4*	The pro	duct is delivered to e	nd-user with d	efault auto-dup	lex enabled.						$\boxtimes$	
P13		jing and documenta										
P13.1*		t packaging material t			veight (kg): 4							
		t packaging material t t packaging material t			weight (kg): ( veight (kg):	).83						
P13.2*		t plastic primary pack			voigni (kg).					$\square$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-											
		ner recovered fiber co		%	, ,		<b>.</b> .					
P13.4*	Specify	media for user and p	roduct docume	entation (tick bo	ox):							
	Electron	nic 🔀, Paper 🔀, O	ther 🗌									
P13.5		only complete this it										
		nd product documenta	ation on paper	media is chlori	ne-free:						$\boxtimes$	
		olease specify:										
	•	chlorine-free								Ш		
	Elemental chlorine-free											
		sed chlorine-free								Ш		
P14		ary programs:		fallanda a nalm		-/						
P14.1		duct meets the requi		•		` '						
	ENERGY STAR® Criteria version: 2.0 Date: 21/12/2016 Product category: Imaging Equipment  Eco-label: (Blue Angel) Criteria version: RAL-UZ171 Date: 9/12/2016 Product category: Office Equipment with							with				
	ECO-IAD	ei. ( <i>blue Aligei)</i>	Cillella versi	011. KAL-UZ17	Date. 3/	12/2010	Flou	uci calego		rinting		
	Eco-lab		Criteria versi	on:	Date:		Product of	category:				_
P15	Additio	nal information (Se	e NOTE B11)									

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1