

ı

1 1

Labelling Machine

PT-N25BT

www.brother.eu

Bluetooth labelling machine

Compact, lightweight easy-to-use labelling machine. Perfect for all round home and office organisation, labels can be created quickly and effortlessly ondemand using the built-in keyboard. Alternatively, connect to a smartphone via Bluetooth and print labels using Brother's Design&Print2 App.


With a range of fonts and frames to play with, symbols to spark the imagination and a variety of coloured tapes to choose from, labels can be fully personalised to suit individual taste.

$() \\ ()$

PT-N25BT

Key features:

- Design and print labels using the built-in QWERTY keyboard
- Bluetooth connectivity to print labels directly from a smartphone using Brother's Design&Print2 App
- Graphic display to preview labels before printing
- Choose from 3 fonts, 15 frames and 250 symbols to customise labels
- Access to a wide range of ready-to-print label templates for all round home organisation using the free App
- Print 12mm Btag labels in a variety of colours
- Easy-to-use manual cutter





General	Carton contents PT-N25BT Labelling machine, 12mm black on white Btag tape (4m long), user guide	Language support 20 (English, German, French, Spanish, Portuguese, Portuguese (Bra), Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish)	
Weights & Dimensions	Machine only (W) x (D) x (H) 152mm x 150mm x 72mm	Weight (Kg) 0.47kg	
Printing	Print resolution	Max. tape width (mm)	Cutter
	180 dpi / 64 dots	12mm	Manual
	Max. print speed	Max. print height (mm)	Cutter type
	12mm/sec	9mm	Cutter Blade
Design	Design type	Keyboard	Key print
	Desktop	QWERTY, QWERTZ, AZERTY	Icon
	Housing colour	Keyboard material	Number of keys
	White & Blue	Rubber	58
Display	LCD Size 58mm x 24mm LCD Specification Graphic, 128 x 16 dots	LCD Contrast Yes (-2, -1, 0, +1, +2) Preview Yes (Real preview)	Text viewable within LCD 16 chrs x 1 line
Power Supply	Batteries	AC Adapter	Auto Power Off
	AAA x 6pcs (LR03/Ni-MH)	AD-24ES	Batteries: ~5min
	(Not included)	(Not included)	AC Adapter: ~20min

Connectivity	Interfaces Bluetooth (Low Energy)		
App compatibility	P-touch Design&Print 2 iOS/Android		
Memory	Label memory locations		
Label Design	Number of Characters (without space) 459 Number of Accented- Alphabets 147 Number of Symbols 250	Character Size Large / Medium / Small Character Widths 3 Kinds (x1/2, x1, x2) Fonts 3 kinds (Helsinki, Brussels, Berlin)	Character Style 7 Kinds (Normal/Bold/Outline/Shadow/ Italic/Italic Bold/Vertical) Frame 15 Underline Yes
Label Format	Text Buffer Max. 80 chrs Multi Line Printing (Max) 2 lines Minimum Label Length 26mm	Tape length setting Yes Standalone (30mm) Bluetooth (30-300mm) Tape margin settings Yes (20mm, 12mm, 4mm, chain)	Horizontal Alignment Left, Centre Text insert/overwrite Insert only
Printing (Software)	Copy (Repeat) Printing Yes (1-20) Mirror Printing Yes	Numbering Yes (1-10) Print Preview Yes	Vertical Printing Yes