



# PC-Connectable shipping and barcode label printer QL-1100c







**CONTINUOUS ROLL** 

**PRE-SIZED LABELS** 

**PC CONNECTION** 

brother.co.uk/QL1100c

## PC-Connectable shipping and barcode label printer

The Brother QL-1100c is a high-speed label printer engineered to print up to 4" wide labels. This business-quality label printer lets you create cost-effective paper adhesive labels for packages, envelopes, postage and more.

QL-1100c



#### **Key Features:**

- Print labels up to 103.6mm wide and at up to 110mm/second print speed
- USB connectivity for PC and Mac
- Supports printing of FBA (Fulfilled By Amazon) labels through a special PDF crop print function
- Built-in cutter to create your own length labels using unique continuous rolls
- Windows SDK (Software Development Kit) available to add label printing to your own apps

#### Your home office business partner

The unique to Brother feature of automatic crop print function enables online sellers to easily print product and other barcode labels instead of using A4/letter size label sheet templates\*. The barcode labels comply with Fulfilled by Amazon requirements.

The Brother QL-1100c delivers fast print speeds of up to 69 standard address labels per minute with black text at 300dpi. Auto cutter allows for printing one or multiple labels at a time, eliminating wasted label sheets. Free P-touch Editor software is included, allowing you to easily design your own labels.



#### Included items

Printer
DK-11247 - Large shipping
pre-sized labels (41 labels)
DK-22205 - 62mm width
continuous roll (8.1 metres)

USB cable AC power cord Documentation

#### **Printing / Media**

#### **Printing technology**

Direct thermal

#### **Print resolution**

1300 x 300dpi

#### Maximum print speed\*

69 standard address labels per minute or 110mm per second\*

#### Label widths

12mm - 103.6mm

#### Maximum print width

101.6mm

#### Minimum label length

25.4mm

#### Maximum label length

3 metres (Windows / MacOS) 1 metre (P-touch Editor Lite / iPrint&Label)\*\*

#### Media sensor type

Reflective

#### Cutter

Yes (full cut / guillotine type)

#### Media types

DK rolls (DK pre-sized labels / DK continuous tape)

#### **Control panel**

#### Buttons

Power / Feed / Cut / P-touch Editor Lite

#### Connectivity

#### **USB**

USB version 2.0 full-speed (type B)

#### **Memory**

#### Flash (for label templates)

7.8MB

#### Locations

(for label templates)

96

#### **Power**

#### Power

220-240V AC internal power supply

#### **Energy Star Certification**

Yes

#### Auto sleep mode

Yes

#### **Weights / Dimensions**

#### Operating system support

Microsoft® Windows® 7 / Windows® 8 / Windows® 8.1 / Windows® 10 macOS v10.11/10.12/10.13

### http://support.brother.com for latest downloads and support

#### Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook P-touch Editor Lite (Windows) iPrint&Label (Android only using USB cable)

#### SDK availability

ZPLII emulation (upon request) ESC/P P-touch Template Raster

http://www.brother.eu/developer

#### Software / Firmware

#### Label crop and print

(convert A4 sheets of labels to individual labels automatically). Yes (Windows only)

#### **Barcode symbologies**

(using P-touch Editor for Windows) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), AztecCode, PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

#### **Barcode symbologies**

(using P-touch Editor for Mac) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

#### **Barcode symbologies**

(Built-in printer firmware) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

#### **Internal fonts**

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)



#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



<sup>\*</sup> Brother standard test environment. Using DK-11201 standard address labels and USB connection.

<sup>\*\*</sup> Using USB connection through P-touch Editor