

# Compact Connectivity











The all-in-one inkjet to suit modern home needs





Offering a wide variety of printing features including wireless connectivity and 2-sided printing – all packed into a compact size – this new Brother inkjet series is the ideal choice for all your home printing needs.

Introducing...
the **MFC**-J680DW

## MFC-J680DW

The MFC-J680DW offers print, copy, scan and fax capabilities in a compact machine, as well as a wide variety of features to suit all of your home needs:



# Automatic Document Feeder (ADF)

Scan and copy multi-paged documents with ease using the Automatic Document Feeder.



### **Mobile**

Use the iPrint&Scan app, Apple AirPrint or Google Cloud Print to print and scan straight from your iPhone, iPad, Android device or Windows Phone.



### Flexible paper handling

A manual bypass slot allows you to easily print envelopes and other types of media.



### **LCD** touchscreen

Navigate the simple to use menu system via the large 6.8cm LCD touchscreen display.





### **Wireless**

Easily connect and share across your existing wireless network.



### **Cost effective printing**

High yield ink cartridges capable of printing up to 550\* black and 550\* colour prints, combined with other cost-saving features like 2-sided printing and ink save mode help to lower your total cost of ownership.

# **Technical Specifications**

The compact MFC-J680DW utilises wireless connectivity to make it easy to connect to for scanning or printing. With 2-sided printing and individual ink cartridges that deliver up to 550 pages\* (black and colour) to help save on printing costs, the MFC-J680DW is an ideal device for any home environment.

Colour fax

General		Colour fax	
Memory Capacity	128MB	Modem speed	14,400bps
Connectivity	Hi-Speed USB 2.0, Wireless 802.11b/g/n, Wi-Fi Direct	Software	
Display	6.8cm Touchscreen LCD	Driver software included	Brother MFL-Pro Suite
Colour Printer		Software - Windows	Brother ControlCentre4, Nuance® Paperport® 14 SE with OCR
Speed (laser comparable)**	Up to 12ipm mono & 10ipm colour	Software - Macintosh	Brother ControlCentre2
Resolution (horizontal x vertical)	Upto 1,200 x 6,000dpi		Windows® 8 / 8.1 (32bit(x86) & 64bit(x64) editions), Windows® 7 (32bit(x86) & 64bit(x64) editions), Windows Vista® (32bit(x86) & 64bit(x64) editions), Windows® XP Professional
Borderless Printing	Available for A4, LTR, A6, Photo 10x15cm, Index Card, Photo-2L		
Colour Copier		Supported operating systems	(32bit(x86) & 64bit(x64) editions), Windows® XP Home, Windows Server® 2003 & 2008
Speed	Up to 6ipm Mono & 6ipm colour***		(32bit(x86) & 64bit(x64) editions), Windows Server® 2008 R2 & 2012 (64bit(x64) edition),Mac OS X v10.7.5 / 10.8.x / 10.9.x / 10.10.x
Resolution	Up to 1,200dpi (colour & mono)		
Multi copy	Yes (99 copies)	Supplies	
Enlargement/reduction ratio	25% - 400%	Highyield ink cartridges	Black: LC223BK Approx 550 pages* Cyan / Magenta / Yellow: LC223C/M/Y Approx
Colour Scanner			550 pages*  Black: LC221BK Approx 260 pages* Cyan /
Resolution	Optical: Up to 1,200 x 2,400dpi Interpolated: Up to 19,200dpi	Standard ink cartridges	Magenta / Yellow: LC221C/M/Y Approx 260 pages*
ScanSpeed	From 3.37 seconds Mono & 4.27 seconds colour at 100dpi	Brother paper	Sheets
Scan format	JPEG, BMP, PDF, TIFF, PNG (USB Flash Memory Drive supports PDF Mono & Colour, JPEG, TIFF)		
0 1	Email / Image / File/ OCR / Web Services / Card	Weights and dimensions	
Scan to	/ USB Flash Memory	With carton	447(W) x 249(D) x 457(H)mm, 10.1kg
Paper handling		With carton	400(W) x 341(D) x 172(H)mm, 8.3kg
Paper input	100 sheet standard bypass paper tray, 20 sheet phototray & single sheet rear bypass slot	Others	
Paper output	50 sheets	Power consumption	Operating:19W, Ready mode: 3.5W, Sleep: 1.3W, Off: 0.2W
Automatic document feeder (ADF)	20 sheets	Sound pressure level (operating)	50dBA (Maximum)
Paper handling sizes	A4, LTR, EXE. A5, A6, Photo 10 x 15cm, Indexcard, Photo-2L, C5, Com-10, DL, Envelope, Monarch	Journal pressure level (operating)	Judus (Maximum)
Media type	Plain, Inkjet, Glossy		oc.ECO

- \* Approx. cartridge yield is declared in accordance with ISO/IEC 2471
- \*\* ISO/IEC 24734

General

\*\*\* ESAT (based on ISO/IEC 24735)















### **Brother UK Ltd**

Shepley Street, Audenshaw, Manchester M34 5JD Tel:+44(0)333 777 4444 Fax:+44(0)161 931 2218 Website: www.brother.co.uk

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.