

FULFIL YOUR DENAND WITH THE ALL-IN-ONE WORKGROUP PERFORMER



THE MFC-8520DN IS THE ALL-IN-ONE THAT DELIVERS PRODUCTIVITY AND VERSATILITY FOR YOUR WORKGROUP.



Features to optimise your workflow

- High speed output at up to 36ppm
- First page out in less than 8.5 seconds
- Up to $8{,}000^1\,$ page high yield toner cartridge
- Automatic 2-sided print, fax, copy & scan
- Intuitive control panel with 5 Line LCD
- Standard paper capacity of 300 sheets
- 1,200 x 1,200dpi resolution

THE VERSATILE ALL-IN-ONE WORKGROUP PERFORMER

Regardless of your business size Brother understands that your business runs on information. Delivering a range of enhanced workflow solutions the MFC-8520DN is a high speed All-In-One combining print, scan, copy and fax in one versatile device.

PRODUCTIVE

A first page out time of less than 8.5 seconds and a maximum print speed of up to 36ppm ensures large volume print jobs are handled with ease and deadlines are met. An intuitive control panel with dedicated function keys enables users to get the results they need quickly and easily.

FLEXIBLE

High volume printing requires professional paper handling. The standard 250 sheet tray and 50 sheet multi-purpose tray can be further enhanced by an optional 500 sheet tray for a maximum capacity of 800 sheets. High speed 2-sided scanning and copying are possible with the 35 sheet Automatic Document Feeder.

COST EFFECTIVE

A range of cost saving features including Toner Save Mode and Deep Sleep Mode deliver significant cost reductions. The optional 8,000¹ page high yield toner cartridge together with the separate drum unit means you can be sure of exceedingly low running costs.



PROFESSIONAL

Thanks to the 1,200 x 1,200dpi print resolution you'll get consistent, high quality output and crisp, sharp detail. With automatic 2-sided and booklet printing as standard you can produce essential business documents in A5 booklet format reducing paper consumption by up to 75%.

INTEGRATED

A range of powerful scanning features including scan to network (Windows® only) and scan to FTP allows information to be shared both locally and remotely in an instant. Ethernet network connectivity and compatibility with print controls such as PCL6 and BR-Script3 (Postscript®3™ Language Emulation) allow for complete integration into your business systems and document processes.

RELIABLE

Capable of handling up to 3,500 pages every month with ease, the MFC-8520DN delivers exceptional quality and performance, consistently meeting the needs of the most demanding business environments.

BROTHER'S DEVICE MANAGEMENT SOLUTIONS

The MFC-8520DN is compatible with a range of utilities for device administration and management:

• **BRAdmin Professional** – A device management utility for remotely monitoring and configuring your printer fleet across multiple locations.

Remotely diagnose user issues and setup automatic email alerts for instant notification of printer downtime enabling you to solve potential problems before they impact on productivity.

- Web Based Management Manage and configure a single device by creating a direct connection through a standard web browser.
- Universal Printer Driver A single, easy to use printer driver that can be used across a number of Brother devices and rolled out across multiple sites from one central point.

- Stay connected With 802.1x and the latest Enterprise Network Security Protocols, including Microsoft® PEAP, the MFC-8520DN will reliably connect to your secure network.
- **Control Costs** By restricting access to the print, fax, copy and scan functions to selected users through either a complete block or by providing them with a limited number of pages they can print during a variable period of time.



"Intuitive and versatile the MFC-8520DN is your perfect workgroup performer."



MFC-8520DN Environmentally Friendly Printing

Our commitment to the environment is brought to life with a range of eco friendly features and the attainment of a range of environmental labels and awards:

- Separate Toner & Drum: Less wastage and reduced print costs.
- Toner Save: Eco mode uses less toner, which can help you to reduce your print spend.
- 2-Sided, N-in1 & Booklet Print: Reduce paper consumption by up to 75% by printing multiple pages onto a single sheet of paper.
- Deep Sleep Mode: Consumes on average 1.6 watts of power when not in use, which is over 6 times less energy compared to the standard ready mode.
- Quiet Mode: Reduces the noise level so the device can be used in intellectual areas as recommended by Blue Angel.

GENERAL

Technology	Electrophotographic monochrome laser printer
Laser Notice	Class 1 Laser Product (EC 60825-1:2007)
Processor	StarSapphire 400MHz
Memory	128MB (expandable up to 384MB using 1 x 144 pin, 16bit DDR2 DIMM)
Local Interface	Hi-Speed USB 2.0 & USB Host for direct print and scan from a USB Flash Drive
Wired Network Interface	Ethernet (108aser-T/100Base-TX)
Display	5 line white backlit LCD

AUTOMATIC 2-SIDED MONO PRINTER

Standard Print Speed (Simplex) 2-Sided Print Speed (Duplex) Resolution Warm Up Time First Print Out Time Print Languages	Up to 36ppm (pages per minute) Up to 18ipm (mages per minute) 1,200 x 1,200dpi, HQ1200 (2,400 x 600dpi), 600 x 600dpi Less than 3 seconds (from sedp mode) Less than 8.5 seconds (from ready mode) PCL6, BR-Script3 (Postscript®3™ Language Emulation), IBM Proprinter XL, Epson FX-850
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts
Embedded Fonts (PS)	66 compatible fonts
Embedded Barcodes (PCL)	UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128(set A, set B, set C), EAN128(set A, set B, set C)

AUTOMATIC 2-SIDED MONO COPIER

Standard Copy Speed	Up to 36cpm (copies per minute)
Resolution	1,200 x 600dpi
First Copy Out Time	Less than 10.5 seconds (from ready mode)
Multi-Copying / Stack / Sort	Makes up to 99 copies of each page (stacks or sorts)
Reduction / Enlargement Ratio	Reduce & enlarge documents from 25% to 400% using 1% increments
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet.

AUTOMATIC 2-SIDED MONO FAX

Modem Speed	33,600bps (Super G3)
Internet Fax (iFax)	Fax documents anywhere in the world over the Internet ³
PC-Fax	Send & receive faxes from your PC using a phone line (Receiving is for
Distinctive Ring Detection Fax Forward & Retrieval Transmit / Receive Memory Error Correction Mode (ECM)	Windows [®] only) Ability to detect different ring styles (UK & Denmark only) Forward or retrieve faxes to or from another location Up to 500 pages (TIU-T Test Chart, Standard Resolution, JBIG) Resending of failed documents where sending fax shares ECM

AUTOMATIC 2-SIDED COLOUR SCANNER

Resolution	1,200 x 1,200dpi (from flatbed), 1,200 x 600dpi (from ADF),
	19,200 x 19,200dpi (Enhanced)
Grey Scale	256 shades of grey
Colour Depth	48 bit internal, 24 bit external
Pull Scan Functions	Scan to E-mail, Image, OCR, File & Searchable PDF
	(all available with the supplied software)
Network Push Scan Functions	Scan to Network Folder (Windows® only), FTP & E-mail Server ³
Drivers	TWAIN, WIA, ICA, SANE ³ & ISIS ³

PAPER HANDLING

Paper Input	250 sheet standard paper tray 50 sheet multi-purpose tray	
	35 sheet Automatic Document Feeder (ADF)	
	500 sheet optional paper tray	
Paper Output	150 sheets face down	
	1 sheet face up (straight paper path)	

MEDIA SPECIFICATIONS

Media Types & Sizes	Standard / Optional Paper Tray - Plain & recycled paper (between 60 - 105 g/m2 (16 - 28 lb))
	Multi-Purpose Tray - Plain, recycled & bond paper (between 60 - 163g/m2 (16 to 43lb)) ADF (Automatic Document Feeder) 64 - 90 g/m2 (17 - 24 lb)
Media Weights	Standard / Optional Paper Tray - Á4, Letter, B5(ISO/JIS), A5, A5(Long Edge),
	B6(ISO), A6, Executive, Legal, Folio (A4 only supported in automatic duplex print mode)
	Multi-Purpose Tray - Width: 76.2mm to 215.9mm (3" to 8.5") x Length: 127mm to 355.6mm (5" to 14")
	ADF (Automatic Document Feeder) - Plain Paper & Recycled Paper
Envelope & Label Printing	Yes, from Multi-Purpose (MP) Tray (accuracy & reliability will depend on the quality & type of media used)

WINDOWS PRINTER DRIVER FUNCTIONS

N-up Printing	Redi (sup
Poster Printing	Enla
Watermark Printing	Add
Macro Printing	Crea
ID Printing	Add
Booklet Printing Quiet Mode	Print Red (a sr
Skip Blank Page	Igno
Reprint	Print

duce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page ported by Mac as well) arge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages d predefined text to your documents as a watermark aate & embed custom templates to your print jobs d identification to your printed documents nt documents in A5 booklet format duces the noise of the machine whilst printing small reduction in print speed also occurs) ones any blank pages in your documents pres any blank pages in your documents t the last document that was sent to the machine

NETWORK / UTILITIES

Driver Deployment Wizard A quick & easy way to deploy Brother printer drivers on a networked Windows® BRAdmin Professional For LAN / WAN management® Print Log to Network Records printing activities from individual users E-mail Notifications Automatic alerts sent via e-mail when the device needs attention E-mail Reports Schedule automatic meter reads	Print Log to Network E-mail Notifications	Records printing activities from individual users Automatic alerts sent via e-mail when the device needs attention	
---	--	---	--

SUPPORTED OPERATING SYSTEMS

8	Windows 7° (32 & 64 bit editions), Windows Vista® (32 & 64 bit editions), Windows®
	XP Professional (32 & 64 bit editions), Windows® XP Home Edition, Windows® Server
	2008R2, Windows® Server 2008 (32 & 64 bit editions), Windows® Server 2003 (32 &
	64 bit editions). Note that Windows® Server 2003 & 2008 are for printing only.
	Mac OS X 10.5.8, 10.6.x, 10.7.x or greater
	CUPS, LPD/LPRng (x86/x64 environment)

SECURITY FEATURES

Windows

Mac Linux

Stand High ' Drum Optior

With Carton Without Carton

Setting Lock Secure Function Lock v2	Lock down the control panel to stop unwanted user access Restrict printing, faxing, copying and scanning activities and
Secure Printing with SSL	assign optional page limits IPP based encryption for printing IP address based access restriction (IPv4 only)
802.1x	

(Wired NetworkAccess Control) Supported Protocols - EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS

SUPPLIES / ACCESSORIES Inbox

Approx. 2,000 pages ¹
TN-3330 - Approx. 3,000 pages1
TN-3380 - Approx. 8,000 pages1
DR-3300 - Approx. 30,000 pages (one job per pag
LT-5400 - Up to 500 sheets

WEIGHTS & DIMENSIONS

533(w) x 515(d) x 601(h) mm / 20.1kg 405(w) x 415(d) x 423(h) mm / 16.0kg

ENVIRONMENT

Typical Electrical Consumption 2.28kWh / week Power Consumption 651W active, 8.1W ready, 1.2W deep sleep 59dBA active, 54dBA quiet mode, 37dBA ready Sound Pressure 6.64BA active, 6.4BA quiet mode, 4.62BA ready Sound Power Consume less energy when not in use Reduces toner usage Power Save Toner Save

DUTY CYCLE Recommended Monthly Print Volume

Maximum Monthly Volume

500 to 3,500 pages

Up to 50,000 pages



1Declared yield value in accordance with ISO/IEC19752. 2 Maximum number of printed pages per month and can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. ³Downloadable from http://solutions.brother.com



Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE Tel:+44(0)161-330 6531 Fax:+44(0)161-330 5520 Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies

Contact: