

SATISFY YOUR

WORKGROUP

WITH HIGH SPEED OUTPUT



THE HL-6180DW IS THE ULTIMATE
WORKGROUP PERFORMER
OFFERING HIGH SPEED OUTPUT
AND ROBUST RELIABILITY TO DEAL
WITH THE MOST DEMANDING
BUSINESS ENVIRONMENTS

Features to optimise your workflow

- High speed output at up to 40ppm
- Up to 12,000¹ page super high yield toner cartridges
- Standard paper capacity of 550 sheets
- Gigabit Ethernet and 802.11n Wi-Fi connectivity
- Backlit LCD display
- First page out in less than 8.5 seconds
- Automatic 2-sided printing with booklet feature
- 1,200 x 1,200 dpi resolution

THE HIGH PERFORMANCE PRINTER

Regardless of your business size Brother understands that your business runs on information. The HL-6180DW is packed with a range of easy-to-use, cost effective output solutions that are designed to deliver outstanding results time after time.

PRODUCTIVE

A first page out time of less than 8.5 seconds and an impressive print speed of up to 40ppm ensures large volume print jobs are handled with ease and deadlines are met. The intuitive 1 Line LCD enables users to get the results they need quickly and easily.

FLEXIBLE

High volume printing requires professional paper handling. With a 1050* paper capacity you'll be replenishing sheet paper less frequently. The 50 sheet multi-purpose tray offers the flexibility of printing on a range of media types including envelopes and thicker paper. *With optional 500 sheet lower tray.

COST EFFECTIVE

The optional 12,000¹ page super high yield toner cartridge, together with the separate drum unit provides exceedingly low running costs which results in a better total cost of ownership. Additionally a range of cost saving Features including toner save mode and booklet printing allow significant reductions on print costs.



PROFESSIONAL

Thanks to the 1,200 x 1,200dpi print resolution you'll get sharp crisp text and accurate reproduction of even the finest details on the page. With automatic 2-sided and booklet printing as standard you can produce professional reports and presentations and reduce paper consumption by up to 75%.

INTEGRATED

Gigabit Ethernet and the latest 802.11n Wi-Fi connectivity allow seamless integration into existing officeinfrastructure.PCL6 and BR-Script3 ready (Postscript®3TM Language Emulation) with support for, barcode printing as standard enables instant compatibility with business critical systems and applications including SAP.

RELIABLE

Capable of handling up to 5,000 pages a month with ease, the HL-6180DW delivers exceptional quality and performance, consistently meeting the needs of the most demanding business environments.

BROTHER'S DEVICE MANAGEMENT SOLUTIONS

The HL-6180DW is compatible with a range of utilities for device administration and management:

- **BRAdmin Professional** A device management utility for remotely monitoring and configuring your printer fleet across multiple locations.
- Remotely diagnose user issues and setup automatic email alerts for instant notification of printer downtime enabling you to solve potential problems before they impact on productivity.
- Web Based Management Manage and configure a single device by creating a direct connection through a standard web browser.
- Central Deployment Deployable printer drivers that can be distributed and then automatically installed to multiple computers from one central location.

DATA SECURITY 1

- Business critical data will remain safe and secure thanks to SSL encryption ensuring that information transmitted from computer to printer is encrypted for maximum security.
- The secure print feature allows print jobs to be stored in the memory, only being released when a 4 digit PIN code is entered on the LCD.

"High speed and powerful, the **HL-6180DW** is the dependable productivity partner"



HL-6180DW Environmentally Friendly Printing

Our commitment to the environment is brought to life with a range of eco friendly features and the attainment of a range of environmental labels and awards:

- Separate Toner & Drum: Less wastage and reduced print costs.
- Toner Save: The Eco feature uses less toner, which can help you to reduce your print spend.
- 2-Sided, N-in1 & Booklet Print: Reduce paper consumption by up to 75% by printing multiple pages onto a single
- Deep Sleep Mode⁵: Consumes less than 1 watt of power when not in use, which is 5 times less energy when compared to the standard ready mode.
- Quiet Mode: Reduces the noise level so the device can be used in intellectual areas as recommended by Blue Angel.



GENERAL

Technology Laser Classification Standard Print Speed (Simplex) 2-Sided Print Speed (Duplex) Warm Up Time First Print Out Time Resolution Processor
Memory Capacity
Local Interface
Wired Network Interface
Wireless Network Interace
Wi-Fi DirectTM

Gigabit Ethernet (10Base-1/100Base-1X/1000Base-1) IEEE 802.11b/g/n
Print wirelessly without having to go through a wireless access point Wi-Fi Protected Sctup™ (MPS) & AirStation OneTouch Secure System™ (AOSS) PCL6, BR-Script3 (Postsoript®3™ Language Emulation), IBM Proprinter XL, Epson FX-850 66 scalable forits, 12 bitmap fonts 66 scalable forits Codd39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128(set A, set B, set C), Wi-H Direct:"
Easy Wireless Setup
Print Languages
Embedded Fonts (PCL)
Embedded Fonts (PS)
Embedded Barcodes (PCL) EAN128(set A, set B, set C) Backlit LCD Display 16 characters x 1 line

Electrophotographic laser printer Class 1 laser product (IEC 60825-1:2007) Up to 40ppm (pages per minute) Up to 18ipm (images per minute) Less than 1 second (from sleep mode)
Less than 8.5 seconds (from ready mode)
1,200 x 1,200dpi, HQ1200 (2,400 x 600dpi quality), 600 x 600dpi Houving 2 128MB (expandable up to 384MB using 1 x 144 pin, 16bit DDR2 DIMM) Hi-Speed USB2.0 Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T)

PAPER HANDLING

Paper Input 500 sheet standard paper tray

500 sheet multi-purpose tray 500 sheet optional paper tray (maximum of 1) 150 sheets face down 1 sheet face up (straight paper path) Paper Output

MEDIA SPECIFICATIONS

Media Types & Sizes Media Weights

Standard / Optional Paper Tray - Plain & recycled paper (between 60 - 105 g/m2 (16 - 28 lb)) Multi-Purpose Tray - Plain, recycled & bond paper (between 60 - 163g/m2 (16 to 43lb)) Standard / Optional Paper Tray - A4, Letter, B5(ISO/JIS), A5, A5(Long Edge), B6(ISO), A6, Executive, Legal, Folio (A4 only supported in automatic duplex print mode) Multi-Purpose Tray - Width: 76.2mm to 215.9mm (3" to 8.5") x Length: 127mm to 355.6mm (5" to 14")")

Envelope & Label Printing

Yes, from Multi-Purpose (MP) Tray (accuracy & reliability will depend on the quality & type of media used)

SUPPORTED OPERATING SYSTEMS

Windows 7® (32 & 64 bit editions), Windows Vista® (32 & 64 bit editions), Windows Windows® XP Professional (32 & 64 bit editions), Windows® XP Home Edition, Windows® Server 2008R2, Windows® Server 2008 (32 & 64 bit editions), Windows® Server 2003 (32 & 64 bit editions) Mac OS X 10.5.8, 10.6.x, 10.7.x

Macintosh CUPS, LPD/LPRng (x86/x64 environment)

MOBILE PRINTING

Print JPG & PDF files from a Microsoft®, Apple® or Android® smart phone / iPrint&Scan tablet (Microsoft® is JPG only) Google Cloud Print

Print most common file types from any Google Cloud Print® enabled application



DRIVER FEATURES

Poster Printing 3 Watermark Printing

Macro Printing

ID Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark your documents with predefined text or with your own user-defined messages Create & embed custom templates, for example a company logo, which

official a difficial custom reinjanes, for example a company logic, which automatically prints on all of your printed documents. Add identification to your printed documents (date & time, short custom message or PC username). Print documents in A5 booklet format using automatic or manual 2-sided print.

Booklet Printing³ Quite Mode Reduces the noise of the machine whilst printing (a small reduction in prin speed also occurs)

Skip Blank Page Ignores any blank pages in your documents Reprint³ Print the last document that was sent to the machine

NETWORK UTILITIES / PROTOCOLS

Web Based Management Driver Deployment Wizard

BRAdmin Professional Print Log to Network E-mail Notifications

IPv4 Supported Protocols

IPv6 Supported Protocols

Web browser based management software A quick & easy way to deploy Brother printer drivers on a networked Windows® PC For LAN / WAN management (Downloadable from http://solutions.brother.com)

Records printing activities from individual users Automatic alerts sent via e-mail when the device needs attention, e.g. toner low

Automatic alerts sent via e-mail when the device needs attention, e.g. toner low TCP/IP (IPv4 & IPv6)

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/
IPPS, FITP Server, TELNET Server, HTTP/HTTPS server, ITTP Client as erver, SMTP Client, SNMP/1/V2/V v3, ICMIP, Web Services (Print), CIFS client, SNTP Client NDR, A, DNS resolver, mDNS, LWNR responder, LPR/LPD, Custom Raw Port/
POrt9100, IPP/IPPS, FITP Server, TELNET Server, HTTP/HTTPS server, TIPT client and server, SMTP Client, SNMPV1/V2c/v3, ICMIPv6, Web Services (Print), CIFS Client, SNTP Client, S

SECURITY FEATURES

Security Protocols APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3, Kerberos

Setting Lock Lock down the control panel to stop unwanted user access Assign a 4 digit PIN to each print job that must be enterable at the control panel in

order to retriev Restrict print activities to selected users and assign optional page limits

Secure Function Lock v2 Secure Printing with SSL

IPP based encryption, already widely used in e-commerce to protect financial & sensitive information

IP Filter 802.1x (Wired Network Access Control) 802.1x (Wired Network Access Control) Wireless Network Security

IP address based access restriction (IPv4 only)
Supported Protocols - EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS
Supported Protocols - LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)

SUPPLIES / ACCESSORIES

In-box Toner Approx. 8,000 pages¹ TN-3330 - Approx. 3,000 pages¹ TN-3380 - Approx. 8,000 pages¹ Standard Toner High Yield Toner Super High Yield Toner

TN-3390 - Approx. 12,000 pages¹ DR-3300 - Approx. 30,000 pages (one job per page) Drum

Optional Lower Tray LT-5400 - Up to 500 sheets

WEIGHTS & DIMENSIONS

With Carton 499(w) x 478(d) x 411(h) mm / 13.6kg Without Carton 371(w) x 384(d) x 288(h) mm / 11.5kg

ENVIRONMENT

Typical Electrical Consumption Power Consumption Sound Pressure Sound Power Power Save

2.07kWh / weel

700W active, 5.0W ready, 0.6W deep sleep (2.8W when wireless is enabled) 59dBA active, 54dBA quiet mode, 34dBA ready 6.8BA active, 6.4BA quiet mode, 4.5BA ready Consume less energy when not in use

Reduces toner usage







DUTY CYCLE

Toner Save

Recommended Monthly Print Volume

1,000 to 5,000 pages

Maximum Monthly Volume

100,000 pages⁴

Declared yield value in accordance with ISO/IEC19752, ²Windows® & Mac only, ³Windows® only, ⁴Maximum number of printed pages per month and can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 5 Only available when wireless is disabled.





Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE Tel:+44(0)161-330 6531 Fax:+44(0)161-330 5520

Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companie