



Our fastest and lightest mobile printers yet, delivering reliability in the most rugged environments

RJ-2000 Series

Versatile connectivity for printing labels or receipts in the most rugged environments.



Compatible with a wide range of mobile devices and operating systems, including iOS and Android



IP54 rating - Drop tested to 2.5m without the need for a case





Our lightest device ever, ideal for printing on the move



EASY TO USE

Mono LCD and 3 flat membrane keys



Simple integration into existing applications with free software development kit (SDK)*



CUSTOMISABLE

Power options include rechargeable batteries, AC adaptor, vehicle power kits and linkable battery chargers

*Available from: https://online.brother.co.uk/developer

Step 1. Choose your printer

	Rugged Receipt		Rugged Label/Receipt	
	RJ-2030	RJ-2050	RJ-2140	RJ-2150
203dpi print resolution	✓	✓	✓	✓
IP54 Certification	✓	√	✓	✓
152mm/sec Print speed	√	✓	✓	✓
HQB C	✓	✓	✓	✓
₿ Bluetooth [°]	✓	✓	×	✓
AirPrint	×	✓	✓	✓
Made for iPhone iPad	×	✓	×	✓

The RJ-2000 series can print up to 2" width receipts, quotes and labels on the spot.

The new series has a range of benefits over competing models, including being 20% lighter in weight and 15% smaller, whilst maintaining print speed and connectivity.

They provide you with the perfect on-person device for mobile workers needing a **2" printing solution**; from logistics and transportation to retail merchandising and healthcare facilities management.

Plus, with increased adaptability and connectivity they can increase productivity in demanding environments.

LOGISTICS/TRANSPORT

- ✓ Order Confirmations
- ✓ Delivery Receipts
- ✓ Multi-purpose labelling
- ✓ Invoices
- ✓ Goods receipts



RETAIL

- ✓ Shelf Labelling
- ✓ Price reduction
- ✓ On-site warehousing
- ✓ Customer Receipts
- ✓ Queue busting



HEALTHCARE

- ✓ Laboratory
- √ Stock/ Logistics control
- √ Facilities



Step 2. Choose your Accessories

Power Options			
PA-BT-003	PA-AD-600UK	PA-CD600WR	PA-CD600CG
Li-ion Battery	AC Adapter	Wire-type Car Adapter	Cigarette-type Car Adapter

Additiona	Additional Options		
PA-BC-002	PA-SS-4000		
Battery charger (up to 4 connect & wall mountable)	Shoulder Strap		

Label/Paper Options		
RD-R03E5	RD-Q04E1	
Continuous Receipt Roll 58mm (12m length/roll)	White Die-cut Label 51mmx26mm (450 labels/roll)*	

Specifications

	Rugged Receipt		Rugged Label/Receipt		
PRINTING	RJ-2030	RJ-2050	RJ-2140	RJ-2150	
Print resolution		203dpi			
Print technology		Direct thermal			
Print speed		Maximum 6ips	* (152mm/sec)		
Paper feed method		Roll feed			
Print width		Maximum 54mm			
Print length		Maximum 1m			
Roll width		58mm			
Roll diameter	40	40mm 60mm		mm	
Barcode		Yes			
Interfaces					
LCD		Yes			
USB		Standard			
Bluetooth (Ver. 2.1)	Yes	Yes	No	Yes	
WiFi (802.11 b/g/n)	No	Yes	Yes	Yes	
Memory				,	
Memory size (RAM/Flash)		32MB / 32MB			
General					
Dimensions	122mm(W) x 57mi	122mm(W) x 57mm (H) x 99.3mm (D) 150mm(W) x 73mm (H) x 99		m (H) x 99.3mm (D)	
Weight inc. battery	465g (465g (approx)		545g (approx)	
Battery	Rechargeable Li-ion (PA-BT-003):7.2V included			luded	
AC adapter	Optional Accessory (15 V)				
Car adapter	Optional Accessory (Cigarette or wired)				
Operating system support	Microsoft [®]	Microsoft® / Windows Vista® / Windows® 7 / Windows® 8 Windows® 8.1 / Windows® 10			
SDK	Android 2.3 or later / iOS 6 or later				
Supported Command	Raster, ESC/P, P-touchTemplate, ZPLII emulation, CPCL emulation				
Environmental					
Temperature	-10 to 50 deg C (During Operation) -20 to 60 deg C (During Storage) -20 to 50 deg C (Durin Operation) -25 to 65 deg (During Storage)		5 to 65 deg C		
Humidity		10-90% (No Condensation)			
Drop protection	2.5m				
Sealing certification	IP54				
Contents					
Provided	Li-ion battery, Belt clip, Documents				

*Under Brother standard environment

Contact:		Brother UK
	1	Audonobow

Audenshaw, Manchester M34 5JD

Tel: 0333 777 4444 Fax:+44 (0)161 931 2218

Web: www.brother.co.uk

All specifications correct at time of printing October 2016. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

