

## Connected, Stylish, Compact

## Flexible printing

Discover the perfect blend of connectivity, style, and compact design. Our range of inkjet printers allows you to connect, set up, and print with ease, fitting seamlessly into small workspaces.



**Connect for  
more control**



Print up to 16 images per minute

5GHz WiFi and USB

Print directly from or scan to PC  
and mobile app

150 Sheet paper input tray

Comes with 200 black, 200 colour page  
yield inks, 500 black, 500 colour maximum  
yield available

**DCP-J1260W**



Print up to 16 images per minute

Automatic 2-Sided print

4.5cm (1.8") Colour display

5GHz WiFi and USB

Print directly from or scan to PC  
and mobile app

150 Sheet paper input tray

Comes with 200 black, 200 colour page  
yield inks, 500 black, 500 colour maximum  
yield available

**DCP-J1310DW**



## Reliable Smart Office Partner

## High speed, high quality, high yield

A feature rich inkjet printer range, reliably delivering high quality print with fast print speeds. Connect effortlessly, and print more with high yield supplies producing vibrant colour results.



Print up to 20 images per minute

Automatic 2-Sided print

4.5cm (1.8") Colour display

5GHz WiFi and USB

Print directly from or scan to PC and mobile app

150 Sheet paper input tray, manual feed slot,  
20 Sheet Automatic Document Feeder (ADF)

100 Sheet paper output

Comes with 350 black, 350 colour page yield inks,  
3,000 black, 2,000 colour maximum yield available

**MFC-J4350DW**



Print up to 20 images per minute

Automatic 2-Sided print

6.8cm (2.7") Colour touchscreen

Fast ethernet, 5GHz WiFi and USB

Print directly from or scan to PC, mobile app and USB

400 Sheet paper input (1 x 150, 1 x 250 sheet paper trays),  
manual feed slot, 20 Sheet Automatic Document Feeder (ADF)

100 Sheet paper output

Comes with 350 black, 350 colour page yield inks,  
3,000 black, 2,000 colour maximum yield available

**MFC-J4550DW**



## Connect for more control

**Set up and print on the go with Brother Mobile Connect.**

Control all your Brother printers from your fingertips. Easily check ink levels, order and save on genuine Brother supplies, access your scanned documents history and personalise your frequently used features.



# Specifications and Features

MFC-J4550DW  
MFC-J4350DW  
DCP-J1310DW  
DCP-J1260W

## General

LED and keys  
4.5cm (1.8") Colour display and keys  
6.8cm (2.7") Colour Touchscreen  
128MB Memory  
256MB Memory

## Print<sup>1,2</sup>

1-Sided Print Speed 16.0 ipm Mono / 9.0 ipm Colour (up to 1200 x 6000dpi resolution)  
1-Sided Print Speed 20.0 ipm Mono / 19.0 ipm Colour (up to 1200 x 4800dpi resolution)  
2-Sided Print Speed 7.0 ipm Mono / 5.0 ipm Colour  
2-Sided Print Speed 11.0 ipm Mono / 10.0 ipm Colour  
FPOT (First Print Out Time) less than 6.2 seconds Mono / 9.6 seconds Colour  
FPOT (First Print Out Time) less than 5.8 seconds Mono / 5.9 seconds Colour  
Up to 1000 pages Recommended Monthly Print Volume  
Up to 2000 pages Recommended Monthly Print Volume

## Scan<sup>3</sup>

1-Sided Scan Speed 17.0 ipm Mono / 7.0 ipm Colour  
Scan Resolution from ADF up to 1200 x 600dpi  
Scan Resolution from Scanner Glass up to 1200 x 2400dpi Mono/Colour  
Scan to Email, File, Image  
Scan to SFTP, FTP, USB, Network (Windows Only)

## Copy<sup>4,5</sup>

1-Sided Copy Speed 13.0 ipm Mono / 10.5 ipm Colour  
2-Sided Copy Speed 5.0 ipm Mono / 4.5 ipm Colour  
Copy Resolution up to 1200 x 1800dpi Mono and Colour  
Copy Resolution up to 1200 x 2400dpi Mono and Colour  
FCOT (First Copy Out Time) less than 13.0 seconds Mono / 28.5 seconds Colour  
FCOT (First Copy Out Time) less than 10.5 seconds Mono / 13.0 seconds Colour

## Fax

14,400 bps G3  
PC Fax Send and Receive  
Up to 50 Manual Location Broadcast

## Connectivity<sup>17,18</sup>

High Speed USB 2.0  
USB Host (Front) Direct Print / Scan  
Fast Ethernet (10Base-T/100Base-TX)  
Wireless 2.4 & 5GHz (IEEE 802.11a/b/g/n) with Wi-Fi Direct®  
Mobile Printing - Mobile Connect, Brother Print Service Plugin, AirPrint, Mopria  
Web Connect (Connect with 3rd party services)  
Brother Apps (Brother original services)

Continued on the next page

# Specifications and Features

Paper Handling <sup>11</sup>			
<div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div></div>	Standard Input Tray 150 Sheets (64 to 220gsm)
		<div><div></div><div></div></div>	Lower Tray 250 Sheets (64 to 120gsm)
		<div><div></div><div></div></div>	Manual feed Slot 1 Sheet (64 to 300gsm)
		<div><div></div><div></div></div>	Automatic Document feeder (ADF) 20 Sheets (64 to 90gsm)
		<div><div></div><div></div></div>	2 Sided Print (64 to 105gsm)
		<div><div></div><div></div></div>	Output Tray 50 sheets
		<div><div></div><div></div></div>	Output Tray 100 sheets
Supplies & Consumables <sup>9,10</sup>			
<div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div></div>	Comes with 200 Black, 200 Colour page yield cartridges
		<div><div></div><div></div></div>	LC521 (500 pages Black / 500 Colour)
		<div><div></div><div></div></div>	Comes with 350 Black, 350 Colour page yield cartridges
		<div><div></div><div></div></div>	LC527 (1,300 pages Black, 900 pages Colour), LC527XL (3,000 pages Black, 2,000 pages Colour)

1

Print Speeds based on ISO/IEC 24734

2

FPOT (First Print Out Time) based on ISO/IEC 17629

3

Scan Speeds based on ISO/IEC 17991

4

ADF Copy Speeds ESAT based on ISO/IEC 24735

5

Non ADF Copy Speeds sESAT (based on ISO/IEC 29183)

9

Approx. declared yield value in accordance with ISO/IEC 24711

10

The first time you install a set of ink cartridges the machine will use an amount of ink to fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining<sup>9</sup> will be a minimum of 200 pages BK and 200 pages CMY (MFC-J4350DW, MFC-J4550DW approximately 350 pages BK and 350 pages CMY)

11

Capacity calculated with 80gsm paper

17

Optional download

18

Requires an Internet connection