



Colour wireless LED 4-in-1 printer MFC-L3750CDW



www.brother.eu

Colour wireless LED 4-in-1 printer

The feature rich MFC-L3750CDW offers full colour prints in the fastest in class print speeds of up to 24 pages per minute. With both wired and wireless connectivity, and the ability to print straight from your mobile, this machine can support the busiest of offices. You can use the 9.3cm colour touchscreen to access favourite features quickly and easily.

MFC-L3750CDW



Key Features:

- Fast print speeds of up to 24 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided printing
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen
- Wired and wireless connectivity
- Print from or scan directly to a USB stick
- Up to 1,000 pages* inbox toners

Don't add to the office noise

You don't need any additional noise to distract you in the office. The MFC-L3750CDW prints up to 24 pages per minute in full colour at under 47dB, which is classed as quieter than your daily office conversation. These industry leading specifications, make this colour printer perfect for desktop working.

Add some colour to your business

Make an impact with colourful business documents. The MFC-L3750CDW offers up to 2,400dpi print quality, and uses LED technology to produce high quality professional prints. This machine also has a user friendly full colour 9.3cm touchscreen for quick and easy access to features.

Easy to set up, easy to use

Start printing straight from the box with the large inbox toners giving you up to 1,000 pages*. The easy to set up networking options offer both wired and wireless connectivity including the ability to print straight from your mobile or tablet. Combine this with automatic 2-sided print and a 50 sheet Automatic Document Feeder (ADF) for easy scan and copy, this machine supports you in your day to day business.

Save time and money

These desktop devices are fast, reliable and great value. The built in 250 sheet paper capacity allows you to keep working longer without having to replenish the paper tray. By using the high yield supplies, you won't have to spend time changing your toner as often, as well as achieving a competitive cost per page for both colour and mono. By boosting productivity, and reducing any down time, your office can run more smoothly.



Technology Electrophotographic LED

Processor Cortex-A9 800MHz Sub: ARM946 133MHz Wired Network 10Base-T/100Base-TX

Wireless Network

IEEE 802.11b/g/n Control Panel 9.3cm colour touchscreen Memory 512MB

> Local Interface Hi-Speed USB 2.0

Mobile Print Print from your mobile devices to your Brother printer

Print

Print Speed (A4) Up to 24PPM (Pages per minute) Colour & Mono

Print Speed 2-Sided (A4)

Up to 8 Sides per minute Colour & Mono Print on to both sides of the paper Automatically

Resolution 2,400 dpi (600 x 2400)

Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 12ppm **FPOT (First Print Out Time)** Less than 14 seconds from ready mode

Warm Up Time Less than 24 seconds from sleep mode

Print Languages PCL6, BR-Script3 PDF Version 1.7, XPS Version 1.0

Embedded Fonts (PCL) 73 scalable fonts, 12 bitmap fonts

Embedded Fonts (Postscript) 66 scalable fonts

Embedded Barcodes (PCL)

*Code39, Interleaved 2 of 5, FIM (US-PostNet) Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar ISBN (EAN) ISBN (UPC-E) Code128 (set A, set B, set C) EAN128 (set A, set B, set C) Code93 GS1Databar MSI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Poster Printing⁴ Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

ID Printing⁴

Add identification to your printed documents (date & time, short custom message or PC username)

Manual 2-Sided Print⁴

Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)

Booklet Printing⁴

Print documents in A5 booklet format using automatic or manual 2-sided print

Print Profiles³

Store your favourite driver settings as profiles to easily recall them

Print Text In Black⁴

Converts all text in your documents to black when printed

Print from USB

Print directly from a USB flash drive (PDFv1.7, JPEG, TIFF)

Configurable Shortcuts

Create up to 18 personaliased shortcuts for a quick and easy access to your regularly print, copy, scan and fax functions

1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m² paper.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 7 Requires Brother Software

8 Must be web connected.

³ Windows[®] & Mac[®] only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

Printer Drivers

Windows[®] Windows[®] 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Windows® Server 2016 (32 & 64 bit editions)* Windows[®] Server 2012, 2012R2 & 2008R2* Windows® Server 2008 (32 & 64 bit editions)*

Macintosh⁵

macOS v10.11.6, 10.12.x, 10.13.x

Linux⁵ CUPS, LPD/LPRng (32 & 64 bit editions)

PostScript Universal Printer Driver⁵

Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript

PCL Driver⁵

Generic PCL XL driver

* Windows® Server supports network printing only

Paper Handling

Paper Input

Standard Tray - 250 sheets Automatic Document Feeder (ADF) - 50 Sheets Manual feed slot - 1 sheet

Paper Output 150 sheets Face Down $(80g/m^2)$ 1 sheet face-up (straight paper path)

Media Type & Weights Standard Tray Plain & Recycled paper (between 60 - 163g/m²)

Media Sizes Standard Trav A4, Letter, A5, A5 (Long Edge), A6, Executive

Media Type & Weights ADF Plain & Recycled paper (between 60 - 105g/m²)

Media Sizes ADF Width 105 to 218 mm, Length 148 to 357.6 mm

Media Type & Weights Manual feed slot Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m²)

Media Sizes Manual feed slot

Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch

Envelope & Label Printing Yes, from the manual feed slot: support for 1 evelope / sheet

Mobile and Web Connectivity

Brother iPrint&Scan (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

Brother iPrint&Scan (Windows[®] Phone)

Print from and scan to a smart phone running the Windows® Phone Operating System

Brother Print&Scan (Windows[®] 8,10 & RT)

Print from and scan to a Windows[®] 8,10 or Windows **RT** Tablet

Google Cloud Print 2.0

Print most common file types from any Google Cloud Print enabled application

Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin Print from Android devices

without a dedicated App

Mopria

Print most common file types from Mopria supported Android devices

Brother Apps⁸

Print creative center, Scan to Mobile, Scan to Searchable PDF, Enlarge Tex Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail

Web Connect⁸

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive[™] OneNote

1 Approx declared vield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m² paper.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 7 Requires Brother Software

8 Must be web connected.

³ Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download

Сору	 Print Speed (A4) Up to 24CPM (Copy per minute) Colour & Mono FCOT (First Copy Time Out) Less than 15 seconds from ready mode Colour & Mono Resolution Up to 600 x 600dpi Multi-Copying/Stack/Sort Makes up to 99 copies of each page / Stacks or Sorts 	Enlargement/Reduction Ratio Reduce or Increase document sizes from 25% to 400% in 1% increments N in 1 Copying Allows the user to compress 2 or 4 pages on to a single A4 sheet 2in1 ID Copying Allows the user to copy both sides of an ID card to a single A4 sheet	Grey Scale 256 shades of grey (8 bit) Receipt Copying Produces clearer copies of receipts Enlarge Text Copy ⁸ Makes reading copied documents easier if the size of the text on the original document is small
Scan	Scanner Type CIS (Contact Image Sensor) Colour & Mono Scanning Yes Scan Speed Mono 27ipm (images per minute) Scan Speed Colour 21ipm (images per minute)	Scan Resolution from Scanner Glass Up to 1,200 x 2,400dpi Interpolated Scan Resolution Up to 19,200 x 19,200dpi Scan Resolution from ADF Up to 600 x 600dpi	Colour Depth 48 bit color Processing (Input) 24 bit color Processing (Output) Grey Scale 16bit color Processing (Input) 8bit color Processing (Output)
Scanner Functions	Scan to E-mail Scan and share documents via e-mail server Scan to OCR Scan documents directly into your word processing application for instant editing application for instant editing Scan to Image Scan to State Scan to A file on your computer Scan to USB Scan directly to a USB flash drive	Scan to Network Folder Scan documents to a nominated folder on your network without using a Windows PC Scan to FTP Scan documents directly to a FTP server Scan Profile ³ Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings Scan to SharePoint ^{4&7} Scan documents directly into SharePoint	Scan to Searchable PDF Scan documents to searchable PDF files Auto Deskew Yes Base Colour Removal Yes ID Scan Yes 1 to 2 Scan Yes
Scanner Drivers	Windows® TWAIN & WIA Windows® 10 (32 & 64 bit editions) Windows® 8	Macintosh⁵ TWAIN macOS v10.11.6, 10.12.x, 10.13.x	Linux⁵ SANE (32 & 64 bit editions)

1 Approx declared yield value in accordance with ISO/IEC 19798. 2 Calculated with 80g/m² paper. 3 Windows[®] & Mac[®] only. 4 Windows[®] only. 5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

(32 & 64 bit editions) . Windows® 7 (32 & 64 bit editions)

7 Requires Brother Software.

8 Must be web connected.

F	Fax	Fax Modem 33,600bps (Super G3)	Distinctive Ring Detection (UK & Denmark only) An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones	Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
		PC Fax Send ^{3&®} and Receive ^{4&®} Send and Receive faxes directly from your PC		
		2-Sided Fax Receive Yes	Error Correction Mode (ECM) The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)	Broadcasting Send the same fax message up
		Memory Transmission Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)		to 250 locations
				Grey Scale 256 shades (8 bit) of grey are available for faxing
	Up to	Out of Paper Reception Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)		
	Fleet Management Tools	Unattended Installer ⁴ Ability to centrally deploy and customise our drivers and	BRAdmin Light ⁴⁸⁵ LAN/WAN management software Embedded Web Server	Driver Deployment Wizard ^{4 & 5} Easily create print drivers for hassle free deployment over
		software		your network
		MSI Installer ⁴	Web based print management	PrintSmart Cost Control

Modular installers that can be distributed through Active Directory®

software embedded onto the device

Monitor and control printing costs for all Brother and 3rd party devices For more information on PrintSmart Solutions visit: www.brother.eu

Software

Brother iPrint&Scan (Windows & Mac)⁵

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC

Nuance[®] PaperPort 14 SE⁵

Document management & sharing program

1 Approx declared yield value in accordance with ISO/IEC 19798.

- 2 Calculated with 80g/m² paper.
 3 Windows[®] & Mac[®] only.
 4 Windows[®] only.
- 5 Optional download.
- 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
- For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

Network and Security

Wired Network 10Base-T/100Base-TX

Wired Network Security APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wireless Network

IEEE 802.11b/g/n (Infrastructure Mode)

IEEE 802.11g/n (Wi-Fi Direct)

Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wireless Setup Support Wi-Fi Protected Setup (WPS)

Wireless Applications Vertical Pairing

Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/ v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan)

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

Secure Print

Protect print jobs with a 4 digit release code required at the device in order for them to be printed

Setting Lock

Secures access to the devices control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

Belt Unit (BU-223CL)

Approx. 50,000 pages

Approx. 50,000 pages

Waste Toner Box (WT-223CL)

(2 page / job)

(5 page / job)

Supplies and Accessories

Inbox Toner 1,000 pages C/M/Y/BK

Standard Yield Toner 1,000 Pages C/M/Y/BK (TN-243) High Yield Toner 3,000 Pages BK 2,300 Pages C/M/Y (TN-247)

Drum Unit (DR-243CL)

18,000 Pages (1 page / job)

Dimensions and Weights

Without Carton (WxDxH) 410 x 475 x 414 mm -23.4kg With Carton (WxDxH)

589 x 523 x 568 mm - 27.6kg

Duty Cycles

Recommended Monthly 300 to 1,500 pages monthly print volume Maximum Monthly⁶ Up to 30,000 pages monthly print volume

Environment

Power Consumption

Printing - 430W, Ready - 75W, Quiet Mode - 260W, Sleep - 10.1W, Deep Sleep - 1.2W, Off - 0.04W

TEC Value 1.3 kWh/Week

Sound Pressure Level

Printing - 47dB(A), Ready - 33dB(A), Quiet Mode - 43dB(A)

Sound Power

Printing - 6.11B(A) Mono / 6.16B(A) Colour Ready - 4.67B(A), Quiet Mode - 5.71B(A) Mono / 5.73B(A) Colour, Deep Sleep - Inaudible

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership Nordic Swan Yes

GS Mark Yes

Eco Mode Yes







Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

