



PC-Connectable shipping and barcode label printer

QL-1100c



CONTINUOUS ROLL



PRE-SIZED LABELS



PC CONNECTION

brother.co.uk/QL1100c

PC-Connectable shipping and barcode label printer

The Brother QL-1100c is a high-speed label printer engineered to print up to 4" wide labels. This business-quality label printer lets you create cost-effective paper adhesive labels for packages, envelopes, postage and more.

QL-1100c



Key Features:

- Print labels up to 103.6mm wide and at up to 110mm/second print speed
- USB connectivity for PC and Mac
- Supports printing of FBA (Fulfilled By Amazon) labels through a special PDF crop print function
- Built-in cutter to create your own length labels using unique continuous rolls
- Windows SDK (Software Development Kit) available to add label printing to your own apps

Your home office business partner

The unique to Brother feature of automatic crop print function enables online sellers to easily print product and other barcode labels instead of using A4/letter size label sheet templates*. The barcode labels comply with Fulfilled by Amazon requirements.

The Brother QL-1100c delivers fast print speeds of up to 69 standard address labels per minute with black text at 300dpi. Auto cutter allows for printing one or multiple labels at a time, eliminating wasted label sheets. Free P-touch Editor software is included, allowing you to easily design your own labels.

Included items

Printer
DK-11247 - Large shipping
pre-sized labels (41 labels)
DK-22205 - 62mm width
continuous roll (8.1 metres)

USB cable
AC power cord
Documentation

Printing / Media

Printing technology
Direct thermal

Maximum print width
101.6mm

Media sensor type
Reflective

Print resolution
1300 x 300dpi

Minimum label length
25.4mm

Cutter
Yes (full cut / guillotine type)

Maximum print speed*
69 standard address labels per
minute or 110mm per second*

Maximum label length
3 metres (Windows / MacOS)
1 metre (P-touch Editor Lite /
iPrint&Label)**

Media types
DK rolls (DK pre-sized labels /
DK continuous tape)

Label widths
12mm - 103.6mm

Control panel

Buttons
Power / Feed / Cut /
P-touch Editor Lite

Connectivity

USB
USB version 2.0 full-speed
(type B)

Memory

Flash (for label templates)
7.8MB

**Locations
(for label templates)**
99

Power

Power
220-240V AC internal
power supply

Auto sleep mode
Yes

Weights / Dimensions

Dimensions
170 (w) x 222 (d) x 151 (h) mm

Weight
1.71kg

Software / Firmware

Operating system support

Windows:
7, 8, 8.1, 10, 11,
Server 2008, 2008 R2, 2012,
2012 R2, 2016, 2019, 2022
Mac:
10.11, 10.12, 10.13, 10.14,
10.15, 11, 12

Label editor support

P-touch Editor (Windows/Mac)
Add-In for Microsoft Word/
Excel/Outlook
P-touch Editor Lite (Windows)
iPrint&Label (Android only
using USB cable)

Supported printer commands

ESC/P
P-touch Template
Raster

Label crop and print

(convert A4 sheets of labels to
individual labels automatically).
Yes (Windows only)

Barcode symbologies

(using P-touch Editor for
Windows)
CODE39, CODE128, UCC/
EAN128(GS1-128), ITF(I-2/5),
CODABAR(NW-7), UPC-A,
UPC-E, EAN13, EAN8,
ISBN-2 (EAN13 AddOn2),
ISBN-5 (EAN13
AddOn5), Laser Barcode,
POSTNET, RSS(RSS14
Standard, RSS14
Truncated, RSS14 Stacked,
RSS14 Stacked Omni, RSS
Limited, RSS Expanded, RSS
Expanded Stacked),
AztecCode, PDF417 (Standard,
Truncate, Micro), QR code
(Model1, Model2, Micro), Data
Matrix (ECC Square, ECC
Rectangular), MaxiCode
(Model2, Model3, Model4,
Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac)
CODE39, CODE128, UCC/
EAN128(GS1-128), ITF(I-2/5),
CODABAR(NW-7), UPC-A,
UPC-E, EAN13, EAN8,
ISBN-2(EAN13 AddOn2),
ISBN-5(EAN13 AddOn5),
Laser Barcode, POSTNET,
RSS(RSS14 Standard, RSS14
Truncated, RSS14 Stacked,
RSS14 Stacked Omni, RSS
Limited, RSS Expanded, RSS
Expanded Stacked), PDF417
(Standard, Truncate, Micro), QR
code (Model1, Model2, Micro),
Data Matrix (ECC Square, ECC
Rectangular), MaxiCode
(Model2, Model3, Model4,
Model5), IMB

Barcode symbologies

(Built-in printer firmware)
CODE39, CODE128, UCC/
EAN128(GS1-128), ITF(I-2/5),
CODABAR(NW-7), UPC-A,
UPC-E, EAN13, EAN8,
ISBN-2(EAN13 AddOn2),
ISBN-5(EAN13 AddOn5), Laser
Barcode, POSTNET, RSS
(RSS14 Standard, RSS14
Truncated, RSS14 Stacked,
RSS14 Stacked Omni, RSS
Limited, RSS Expanded, RSS
Expanded Stacked), PDF417
(Standard, Truncate, Micro), QR
code(Model1, Model2, Micro),
Data Matrix (ECC Square, ECC
Rectangular), MaxiCode
(Model2, Model3, Model4,
Model5), IMB

Internal fonts

Bitmap fonts: Helsinki, Brussels,
Letter Gothic Bold, San Diego,
Brougham. Bitmap font sizes:
24 dots, 32 dots, 48 dots.
Outline fonts: Helsinki, Brussels,
Letter Gothic. Outline font sizes:
33 dots - 400 dots (22 sizes)

* Brother standard test environment. Using DK-11201 standard address labels and USB connection.

** Using USB connection through P-touch Editor



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side