

inkbenefit



Print up to:

7,500	5,000
pages ³⁰	pages ³⁰



Fill up and Print Your 3-in-1 Compact Ink Tank Printer

Easy to fill, easy to use

DCP-T230



PRINT



SCAN



COPY

www.brother.eu

Fill up and Print Your 3-in-1 Compact Ink Tank Printer

Print more for less with super high yield ink bottles and easy fill ink tanks that lower your colour printing costs. Enjoy quick hassle-free printing.

DCP-T230



Key features:

- Print up to 16 images per minute¹
- Print directly from or scan to PC
- 150 Sheet paper input tray, manual feed slot¹¹
- Comes with 7,500 black, 5,000 colour page yield ink bottles, 7,500 black, 5,000 colour maximum yield bottles available³¹

Fill up and print

The compact DCP-T230 3-in-1 printer prints longer with super high yield ink bottles reducing your cost per page in colour. Quickly fill the tanks in seconds without having to hold the bottles, making refilling simple and mess free. The innovative key lock bottle system ensures that you always refill the correct colour.

Efficient

Simplify your day with clutter free paper management. The easily accessible 150 sheet paper tray, protects your paper when printing.

Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. Our security experts continuously research new enhancements to products, solutions and services to proactively ensure all our products are 'secure by design'.

General

Technology

Inkjet

Memory

64MB

Control panel

LED and Keys

Local Interface

Hi-Speed USB 2.0

Carton Contents

Device, Inbox Inks,
Power Supply Cord, Quick
Set-Up Guide, Warranty Card

Print

Print Speed (A4)¹

1-Sided: 16.0 ipm

FPOT²

(First Print Out Time)

9.6 Seconds Colour and

6.2 Seconds Mono

Quiet Mode

A mode to reduce the
printing noise

Resolution

Up to 1200 x 6000dpi

Printer Functions

N-up Printing

Reduce up to 16 pages into
a single page

Poster Printing

Enlarge a single page into a
poster using 2x2, 3x3 pages

Watermark Printing

Watermark your documents
with predefined text, custom
logo or custom messages

ID Printing

Add identification to your printed
documents (date and time,
short custom message or PC
username)

Booklet Printing

Print documents in A5 booklet
format

Print Profiles

Store your favourite driver
settings as profiles to easily
recall them

Manual 2-Sided Print

Yes

Mirror Print

Reverses the printed image on
the page from left to right

Reverse Print

Rotate the content of a printed
document by 180°

Colour Enhancement

Adjust the colour in the image
for better print quality

Borderless Print

Print up to A4 / Letter
without margins

Printer Drivers

Windows

Windows 11
(32 and 64 bit editions)
and more

Visit support.brother.com for the full list of supported OS and
to download the latest drivers and software.

Paper Handling¹¹	Paper Input Standard Tray 150 Sheets	Media Sizes Standard Tray A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102 x 152mm), Indexcard (127 x 203mm), Photo-2L (127 x 178mm), C5 Envelope, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal	Media Type and Weights Standard Tray Plain, Inkjet, Glossy, Recycled 64 - 220gsm
	Manual Feed Slot 1 Sheet		Manual Feed Slot Plain, Inkjet, Glossy, Recycled 64 - 300gsm
	Paper Output 50 Sheets A4	Manual Feed Slot LTR, Legal, Folio, Mexico Legal, India Legal, A4, A5, 10 x 15cm	
		Scanner Glass Up to A4 / Letter	

Copy	Copy Speed (A4)⁵ 1-Sided: 11.0 ipm	Resolution Up to 1200 x 1800dpi Mono and Colour	FCOT⁶ (First Copy Out Time) 13.0 Seconds Mono and 28.5 Seconds Colour
-------------	---	---	--

Copy Functions	2 in 1 ID Copying Allows the user to copy both sides of an ID card to a single A4 sheet	N in 1 Copying Allows the user to compress 2 on to a single A4 sheet
-----------------------	---	--

Scan	Scanner Type CIS (Contact Image Sensor)	Scan Resolution from Scanner Glass 1200 x 2400dpi	Colour Depth 30 bit colour processing (Input) 24 bit colour processing (Output)
	Colour and Mono Scanning Yes	Interpolated Scan Resolution Brother Scanner Utility enhances up to 19,200 x 19,200dpi	Grey Scale 10 bit colour processing (Input) 8 bit colour processing (Output)

Scanner Functions	Supported File Formats PDF, JPEG, TIFF
	Standard Functions¹⁷ Scan to E-mail, Image and File

Scanner Drivers

Windows

TWAIN and WIA
Windows 11
(32 and 64 bit editions)

Visit support.brother.com for the full list of supported OS and to download the latest drivers and software.

Software

Brother iPrint&Scan Desktop¹⁶

Print from, scan to, preview copies and check the machine status from Windows

Utilities

Provides setup guides, manual, FAQ, troubleshooting and contact to Brother customer service

Easy Setup

Simple access to drivers and software for the installation of your Brother machine from support.brother.com

Connectivity

Local Interface

Hi-Speed USB 2.0

Security Features

SecureBoot

The integrity of the firmware is checked before allowing any user interaction. Only genuine Brother firmware can be used

Automatic Intrusion Detection

All Brother Print devices are secure by design. Devices automatically recognise security attacks and take preventative measures, including rebooting where necessary, to ensure the device remains secure

Firmware Updates

In addition to allowing automatic updates the printer can be set to not receive older firmware versions to avoid downgrade by an unauthorised user

Firmware Encryption

During update firmware is transferred over a trusted HTTPS encrypted connection

Digitally-signed Firmware

The firmware for Brother print and scan devices is digitally signed and secure

Certificate Management

Use the default standard self-signed, create a custom self-signed certificate, certificate signing request (CSR), or external public certificate & private key for protected network communication

Supplies and Consumables

Inbox Ink³¹
1 x 7,500 pages (BK)
1 x 5,000 pages (C,M,Y)

Standard Yield Ink³⁰
BTD100BK - 7,500 pages
BTD100CMY - 5,000 page

Dimensions and Weights

With Carton (WxDxH)
461 x 208 x 461mm - 7.30kg

Without Carton (WxDxH)
390 x 343 x 149mm - 6.30kg

Duty Cycle

Recommended Monthly
Up to 1,000 pages

Operating Environment

Power Requirement
220 - 240V
AC 50/60Hz

Operating Environment
Humidity 20 - 80%
10°C - 35°C
50°F - 95°F

Storage Environment
Humidity 20 - 80%
0°C - 40°C
32°F - 104°F

Environment

Approx Power Consumption^{13,14}
Copying: 13W
Ready: 2.0W
Sleep: 0.6W
Power Off: 0.15W

Sound Pressure¹²
PC Printing (Colour/Mono):
Approx. 55.0dB(A)

- 1 Print Speeds based on ISO/IEC 24734
- 2 FPOT (First Print Out Time) based on ISO/IEC 17629
- 5 Non-ADF Copy Speeds sESAT based on ISO/IEC 29183
- 6 FCOT (First Copy Out Time) based on ISO/IEC 24735 Annex D
- 11 Capacity calculated with 80gsm paper
- 12 Sound pressure and sound power level in accordance with ISO 7779
- 13 Power consumption power off is measured according to IEC 62301 Edition 2.0
- 14 Power consumption single-sided printing and scanning, resolution: standard / document: ISO/IEC 24712 printed pattern.
- 16 Windows only
- 17 Optional download
- 30 Approx. declared yield value based on Brother's original methodology using ISO/IEC 24712 test patterns. Yields are NOT based on ISO/IEC 24711
- 31 The first time you use a set of ink bottles the machine will use an amount of ink to fill the delivery tubes. This process will only happen once.
The amount of ink remaining³⁰ will be approximately 7,125 pages BK and 4,450 pages CMY



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side