

Compact Connectivity











The all-in-one inkjet to suit modern office needs





Offering a wide variety of printing features including wireless connectivity and 2-sided printing – all packed into a compact size – this new Brother inkjet series is the ideal choice for all your office printing needs.

Introducing...
the **MFC**-J680DW

MFC-J680DW

The MFC-J680DW offers print, copy, scan and fax capabilities in a compact machine, as well as a wide variety of features to suit all of your office needs:



Automatic Document Feeder (ADF)

Scan and copy multi-paged documents with ease using the Automatic Document Feeder.



Mobile

Use the iPrint&Scan app, Apple AirPrint or Google Cloud Print to print and scan straight from your iPhone, iPad, Android device or Windows Phone.



Flexible paper handling

A manual bypass slot allows you to easily print envelopes and other types of media.



LCD touchscreen

Navigate the simple to use menu system via the large 6.8cm LCD touchscreen display.





Wireless

Easily connect and share across your existing wireless network.



Cost effective printing

High yield ink cartridges capable of printing up to 550* black and 550* colour prints, combined with other cost-saving features like 2-sided printing and ink save mode help to lower your total cost of ownership.

Technical Specifications

The compact MFC-J680DW utilises wireless connectivity to make it easy to connect to for scanning or printing. With 2-sided printing and individual ink cartridges that deliver up to 550 pages* (black and colour) to help save on printing costs, the MFC-J680DW is an ideal device for any home or home office environment.

| General | | Colour fax | |
|------------------------------------|---|----------------------------------|---|
| Memory Capacity | 128MB | Modem speed | 14,400bps |
| Connectivity | Hi-Speed USB 2.0, Wireless 802.11b/g/n, Wi-Fi Direct | Software | |
| Display | 6.8cm Touchscreen LCD | Driver software included | Brother MFL-Pro Suite |
| Colour Printer | | Software - Windows | Brother ControlCentre4, Nuance® Paperport® 14 SE with OCR |
| Speed (laser comparable)** | Up to 12ipm mono & 10ipm colour | Software - Macintosh | Brother ControlCentre2 |
| Resolution (horizontal x vertical) | Upto 1,200 x 6,000dpi | | Windows® 8 / 8.1 (32bit(x86) & 64bit(x64) editions), Windows® 7 (32bit(x86) & 64bit(x64) editions), Windows Vista® (32bit(x86) & 64bit(x64) editions), Windows® XP Professional |
| Borderless Printing | Available for A4, LTR, A6, Photo 10x15cm, Index Card, Photo-2L | | |
| Colour Copier | | Supported operating systems | (32bit(x86) & 64bit(x64) editions), Windows [®] XP Home, Windows Server [®] 2003 & 2008 |
| Speed | Up to 6ipm Mono & 6ipm colour*** | | (32bit(x86) & 64bit(x64) editions), Windows Server® 2008 R2 & 2012 (64bit(x64) edition), Mac OS X v10.8.5/ 10.9.x/ 10.10.x/10.11.x |
| Resolution | Up to 1,200dpi (colour & mono) | Supplies | Wac O3 X V10.0.3/ 10.9.x/ 10.10.x/10.11.x |
| Multi copy | Yes (99 copies) | Supplies | Plock I C222PK Approx 550 pages* |
| Enlargement/reduction ratio | 25% - 400% | Highyield ink cartridges | Black: LC223BK Approx 550 pages* Cyan / Magenta / Yellow: LC223C/M/Y Approx 550 pages* |
| Colour Scanner | Optical Lie to 1 000 v. 0 400dai Internalated | Standard ink cartridges | Black: LC221BK Approx 260 pages* Cyan / Magenta / Yellow: LC221C/M/Y Approx 260 |
| Resolution | Optical: Up to 1,200 x 2,400dpi Interpolated: Up to 19,200dpi | | pages* BP71GA4: A4 glossy photo paper, 20 sheets, |
| ScanSpeed | From 3.37 seconds Mono & 4.27 seconds colour at 100dpi | Brother paper | BP60MA: A4 Matte inkjet paper, 25 sheets, BP71GP: 10 x 15 glossy photo paper, 20 |
| Scan format | JPEG, BMP, PDF, TIFF, PNG (USB Flash Memory Drive supports PDF Mono & Colour, JPEG, TIFF) | Weights and dimensions | sheets |
| Scan to | Email / Image / File/ OCR / Web Services / Card / USB Flash Memory | With carton | 447(W) x 249(D) x 457(H)mm, 10.1kg |
| Paper handling | , | Without carton | 400(W) x 341(D) x 172(H)mm, 8.3kg |
| Paper input | 100 sheet standard bypass paper tray, 20 sheet phototray & single sheet rear bypass slot | Others | |
| Paper output | 50 sheets | Power consumption | Operating:19W, Ready mode: 3.5W, Sleep: 1.3W, Off: 0.2W |
| Automatic document feeder (ADF) | 20 sheets | Sound pressure level (operating) | 50dBA (Maximum) |
| Paper handling sizes | A4, LTR, EXE. A5, A6, Photo 10 x 15cm, Indexcard, Photo-2L, C5, Com-10, DL, Envelope, Monarch | | |
| Media type | Plain, Inkjet, Glossy | | vc ECQ. |

- * Approx. cartridge yield is declared in accordance with ISO/IEC 24711
- ** ISO/IEC 24734
- *** ESAT (based on ISO/IEC 24735)















Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE Tel:+44(0)161-330 6531 Fax:+44(0)161-330 5520

Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.